





PLAN SHOWING THE PROPOSED CONSTRUCTION OF R.C.C. ROOF RESIDENTIAL BUILDING IN GROUND & FIRST FLOOR AT NATHAM S.NO.393/20,MANAIVARI PATT A NO.215,PERIYANARIKKOTTAI VILLAGE,KOLLANGUDI GROUP & PANCHAYAT,KALAYARKOIL TALUK & SIVAGANGAI DISTRICT.

NAME OF THE OWNER:Mr:C.ADAIKALARAJU S/o CHINNAPPAN.



SPECIFICATIONS		
1. SAND FILLING		
2. P.C.C. MIX RATIO 1:5:10 40MM METAL		
3. R.C.C. ISOLATED FOUNDATION		
4. BRICK WORK CM MIX RATIO 1:6		
5 R.C.C. 1:1.5:3 MIX AS PER IS 456 : 2000		
SCHEDULE OF JOINERIES		
MAIN DOOR MD	1.20 X 2.10	
DOOR D	1.00 X 2.10	
DOOR D1	0.90 X 2.10	
WINDOW W	1.20 X 1.20	
VENTILATOR V	0.90 X 0.60	
PLINTH AREA DETAILS		
SITE AREA	2690.00 SQ.FT	250.00 SQ.M
PRO.GROUND FLOOR AREA	931.92 SQ.FT	86.61 SQ.M
PRO.FIRST FLOOR AREA	412.75 SQ.FT	38.36 SQ.M
VACANT AREA	1758.08 SQ.FT	163.39 SQ.M
COLOR INDEX		
	SITE / BOUNDARY AREA	
	PROPOSED BUILDING	
	EXISTING ROAD	
	PARKING CALCULATION:- Floor Area above 75.00sq.m = 1 Car Parking	
	PARKING PROVIDED:- No. of Car Pockets : 1 No. of Bike Pockets : 2	
	F.S.I DETAILS	PROPOSED PERMISSIBLE
	Total Plinth Floor Area Site Area = $\frac{155.17}{200.58}$	0.77 2.00
APPLICANT		
ENGINEER		
Er.S.ANAND D.C.E., A.Cad., LICENSED BUILDING SURVEYOR Reg. No. 112/LS/2021/00016 KOLLANGUDI, KALAYARKOIL SIVAGANGAI Cell : 84890 68015		
OFFICE USE		