



PLAN SHOWING THE PROPOSED CONSTRUCTION OF GROUND FLOOR R.C.C ROOF SLAB OF
**RESIDENTIAL BUILDING IN OLD R.S NO:80/8, NEW SURVEY NO:80/8B, AT 163,
TAMBIKOTTAI VADAKADU VILLAGE, PATTUKOTTAI(TALK), TANJAVORE(DIST).**


APPLICANT NAME : **Mrs.S.BALAMURUGAN,**
S/O.Mr.SELVARAJ.



FRONT ELEVATION
G.L
[0.47M]
PARAPET WALL 91 CM HEIGHT 23CM TK
WEATHERING COURSE
R.C.C MIX 1:2:4 ROOF SLAB 15CM TK
R.C.C LINTEL WITH SUNSHADE
RAIN WATER HARVESTING
BRICK WORK IN CM 1:5
TILES FLOORING
P.C.C FLOORING 1:4:8 CONCRETE
SAND FILLING
PLINTH BEAM 10"X9"9"
R.C.C COLUMN 9"X9"
R.C.C FOOTING




CROSS SECTION ON "AB"



SITE PLAN NOT TO SCALE


STAIR CASE




SOLAR



SUMP DETAILS FOR DINNING WATER



SECTION




NOTE:-

- 1.WASTE WATER WILL BE USE FOR GARDENING PURPOSE
- 2.ALL ROOMS ARE PROVIDED WITH FANS
3. ALL MEASUREMENTS ARE FEET

GROUND FLOOR PLAN

1:100



SPECIFICATION :			
FOUNDATION	COLUMN FOOTING		
BRICK WORK	CM 1:6 FOR SUPER STRUCTURE		
PLASTERING	CM 1:5 FOR WALLS&1:3 FOR CEILING		
PAINTING	2 COATS FOR WALLS&1 EXTRA COAT FOR CEILING		
R.C.C	1:1 1/2 FOR ALL CONCRETE WORKS		
WOOD WORK	ALL WOOD WORKS IN BEST QUALITY TIMBER		
WEATHERING	BRICK TALLY - LIME MORTAR OVER ROOF SLAB ONE LAYER OF COUNTRY TILES		
BOUNDARY LINE	PROPOSED BUILDING		
ROAD	SEPTIC TANK		
RAIN WATER STORAGE	RAIN WATER STORAGE		
AREA STATEMENT		sq.ft	sq.m
TOTAL SITE AREA	—	8720.00	810.11
PLINTH AREA	GF	1316.25	122.32
RESIDENTIAL	—	—	—
OPEN AREA	—	7403.75	688.08
DRAINAGE - UNDER GROUND DRAINAGE			
SCHEDULE OF JOINERY			
R.S	ROLL SHUTTER	9"6" x 8"0"	
G.W	GRILL WINDOW	4"0" x 4"0"	
M.D	MAIN DOOR	3"6" x 7"0"	
O	OPEN	3"0" x 7"0"	
A.O	ARCH OPEN	3"0" x 7"0"	
D	DOOR	3"0" x 7"0"	
D	DOOR	2"6" x 7"0"	
W	WINDOW	4"0" x 4"0"	
W1	KITCHEN WINDOW	4"0" x 3"0"	
V	VENTILATOR	3"0" x 2"0"	
OWNER SIGNATURES			

NOTE:ONLY RESPONSIBLE FOR DRAWING

E.R.BALAMURUGAN
CONSULTING CIVIL ENGINEER & ARCHITECT
MUTHUPET 614-704
HP NO-91-9698045647,7867850219
balamurugan007@gmail.com
DRWNG NO :2024/02/BB0001128

APPROVAL AUTHORITY:

