








PLAN SHOWING THE PROPOSED CONSTRUCTION OF A DWELLING GROUND FLOOR & FIRST FLOOR AT NATHAM SURVEY NO: 22/12, PATTa NO: 441,1/231, NORTH STREET

ANTHONIYAR PURAM, KORAMPALAM PANCHAYATH, TUTICORIN PANCHAYATH UNION, TUTICORIN TALUK, THOOTHUKUDI DISTRICT.






NAME OF THE APPLICANT: Mr. SILUVAI MICHAEL ANTONY



AREA STATEMENT		SQ.FT	SQ.MT
PLOT AREA (AS PER DOCUMENT)		3706.06	344.80
PLOT AREA (AS PER PATTa)		3706.06	344.80
PLOT AREA (AS PER SITE)		3706.06	344.80
FSI AREA			
PRO. GROUND FLOOR AREA		628.76	58.49
PRO. FIRST FLOOR AREA		293.80	27.33
TOTAL FSI AREA		922.56	85.82
NON FSI AREA		117.82	10.96
PRO. PASSAGE			
PRO. HEAD ROOM			
NET TOTAL FSI & NON FSI AREA		1040.38	96.78

JOINERY DETAILS:		
	DESCRIPTION	IN METER
MD	MAIN DOOR	1.00X2.13
D	DOOR	0.91X2.13
D1	TOILET DOOR	0.76X2.13
O	OPENING	0.91X2.13
W	WINDOW	1.83X1.22
W1	WINDOW	1.83X0.91
W2	WINDOW	1.22X1.22
V	VENTILATOR	0.91X0.61


- SPECIFICATIONS:**
1. R.C.C FOOTINGS FOR FOUNDATION IN M20 MIX
 2. R.C.C. COLUMNS IN M20 MIX
 3. R.C.C. ROOF SLAB AND BEAMS IN M20 MIX
 4. 9" BRICK WORK IN C.M 1:5 IN SUPER STRUCTURE
 5. COUNTRY WOOD DOORS WITH FLUSH SHUTTERS
 6. COUNRTY WOOD GLAZED WINDOWS
 7. INTERNAL PLASTERING IN C.M 1:4
 8. EXTERNAL PLASTERING IN CM 1:5
 9. WEATHERING COURSE IN BRICK JELLY LIME CONCRETE 1:3 MIX
 10. WEATHERING TILES IN 9"X9" BURNT CLAY TILES IN LAID IN 1:3 MIX



PLOT COVERAGE : %

FLOOR SPACE INDEX : 0.90

STAIR CASE DETAILS:-



APPLICANT

Siluvai

Mr. SILUVAI MICHAEL ANTONY

REGISTERED ENGINEER

M. Manthiram

Er.M.Manthirammoorthy D.C.E

Licensed Surveyor REG.NO:TUT/2023/05

PRIYAM CONSTRUCTION

10/3-16, Mukkani Main Road

R.S.Puram, Eral - 628801

Cell No : 72006 41195

OFFICE USE