



PLAN SHOWING THE PROPOSED CONSTRUCTION OF GROUND FLOOR RCC FRAMED RESIDENTIAL BUILDING AT SURVEY NO.250/10 AS PER PATTA NO.632 IN METTUKUPPAM, VARADHARAJANPETTAI, VARADHARAJANPET TOWN PANCHAYAT, ANDIMADAM TALUK, ARIYALUR DISTRICT 621 805.


OWNER'S NAME :MR.K.VEERAPANDIAN S/O V.KANAGASABAI




FRONT ELEVATION

Individual residence


Individual residence




PRO. GROUND FLOOR PLAN




FOUNDATION DETAILS
SCALE : 1:50.



PERCOLATION PIT



SECTION OF SEP.TANK



LOCATION PLAN

TOPO PLAN

KEY PLAN

- 1.PROPOSED AREA
- 2.ROAD
- 3.TOPO

SPECIFICATIONS:

1. R.C.C FOOTINGS FOR FOUNDATION IN M20 MIX
2. R.C.C. COLUMNS IN M20 MIX
3. R.C.C. ROOF SLAB AND BEAMS IN M20 MIX
4. 9" BRICK WORK IN C.M 1:5 IN SUPER STRUCTURE
5. COUNTRY WOOD DOORS WITH FLUSH SHUTTERS
6. COUNTRY WOOD GLAZED WINDOWS
7. INTERNAL PLASTERING IN C.M 1:4
8. EXTERNAL PLASTERING IN CM 1:5
9. WEATHERING COURSE IN BRICK JELLY LIME CONCRETE 1:3 MIX
10. WEATHERING TILES IN 9"X9" BURNT CLAY TILES IN LAID IN 1:3 MIX

AREA STATEMENT	SQ.FT	SQ.MT
PLOT AREA (AS PER DOCUMENT)	3745.84	348.00
PLOT AREA (AS PER PATTA)	3745.84	348.00
PLOT AREA (AS PER SITE)	3745.84	348.00
FSI AREA		
PRO. GROUND FLOOR AREA	666.61	61.93
PRO. FIRST FLOOR AREA	0	0
TOTAL FSI AREA	666.61	61.93

NON FSI AREA		
PRO. CAR PARK AREA	134.55	12.50
PRO. HEAD ROOM	0	0
NET TOTAL FSI & NON FSI AREA	801.16	74.43

PLOT COVERAGE	: 17.80 %
FLOOR SPACE INDEX	: 0.178

JOINERY DETAILS:		
	DESCRIPTION	IN METER
MD	MAIN DOOR	1.00X2.13
D1	DOOR	0.91X2.13
D2	TOILET DOOR	0.76X2.13
O	OPENING	0.91X2.13
W	WINDOW	1.83X1.22
W1	WINDOW	1.83X0.91
W2	WINDOW	1.22X1.22
V	VENTILATOR	0.91X0.61

K. Don Bosco Vijay Amirtharaj, D.C.E.
Licenced Surveyor
Varadharajan pet
Ariyalur District-621805
REGISTERED ENGINEER.

Mr.K.VEERAPANDIAN.
OWNER/ POWER AGENT