

CATAGORY OF THE BUILDING - INSTITUTIONAL

PLAN SHOWING THE PROPOSED ALTERATIONS IN
EXISTING BUILDING AND ADDITIONAL CONSTRUCTION
OF PROPOSED FOURTH FLOOR FOR
M/s. RANGAPOOPATHI COLLEGE OF MEDICINE &
NURSING COLLEGE BUILDING RUN BY GURU
SHARMESRI EDUCATIONAL CHARITABLE TRUST AT
S.No. 30/3A1, 31/3A Pt. & 31/4C1 Of No. 22,
KILIYANUR (WEST) VILLAGE / PANCHAYAT,
VANUR TALUK, BLOCK, VILLUPURAM DIST.

SCALE:- 1:100	ALL DIMENSIONS ARE IN METER
---------------	-----------------------------

EXISTING BUILDING ☐

PROPOSED BUILDING ☐

O.S.R ☐

EXISTING ROAD ☐

SITE BOUNDARY ☐

DRIVE WAY ☐



EXTG. BUILDING APP. No.
BP/ADTCP(VD) 06/2023 Dated: 03.04.2023

DESCRIPTION		AREA IN SQM	
SITE AREA AS PER DOCUMENT / PATTA		12210.00	
SITE AREA AS PER FMB		11964.98	
SITE AREA AS PER SITE		11964.00	
FLOOR NAME	NET F.S.I AREA	NON F.S.I AREA	TOTAL BUILDU AREA
EXISTING BUILDING			
GROUND FLOOR	961.90	-	961.90
FIRST FLOOR	961.90	-	961.90
SECOND FLOOR	961.90	-	961.90
THIRD FLOOR	961.90	-	961.90

PARKING DETAILS	REQ.	PRO.
CAR PARKING	4 + 1	7 + 2
TWO WHEELER PARKING	7 + 1	17 + 2
CYCLE PARKING	7 + 1	17 + 2

JOINERY DETAILS		SIZE
D	DOOR	1.22X2.13
D2	DOOR	0.76X2.10
GG	GRILL GATE	1.83X2.13
LD	LIFT DOOR	1.00X2.13
SD	SLIDING DOOR	1.00X2.13
W	WINDOW	1.07X1.37
W1	WINDOW	1.83X1.37
SW	SLIDING WINDOW	1.07X1.37
V	VENTILATOR	1.07X0.61
V1	VENTILATOR	0.61X0.91
FA	FIRE ALARM	
FE	FIRE EXTIN.	

SPECIFICATION :-

1. SAND FILLING IN FOUNDATION AND BASEMENT
2. P.C.C 1:4:8 IN FOUNDATION AND BASEMENT AS LEVELING COURSE
3. R.C.C 1:1.5:3 COLUMN FOOTING WITH M30 CONCRETE
4. BRICK WORK IN 230 MM OUTER WALL AND 115 MM PARTITION CM 1:5 FOR BASEMENT, SUPER-STRUCTURE AND PARAPET WALL
5. R.C.C LINTELS BEAMS AND SLABS IN 1:1.5:3
6. WEATHERING COURSE IN BRICK FLYE LINE CONCRETE MORTAR WITH 2 COURSES OF PRESSED TILES LAID TO SLOPE
7. PLASTERING IN CM 1:4
8. DOORS IN TEAK WOOD & COUNTRY WOOD
9. WINDOWS WITH UPVC DOUBLE GLAZING.

B.P/DTCP.NO:571/2024

**GURU SHARMEESRI EDUCATIONAL
CHARITABLE TRUST**

CHAIRMAN

APPLICANT / OWNER

Dr. N.J. RAMESH 
 Chief Consultant / Gastroenterologist
 Regd Gastroenterologist, Government Medical College, Bangalore-560002
 Regd Structural Engineer (DIT) - Bangalore-560002
 Head Office: No.102, 4th Main Road, Jayashree Nagar,
 Kalyandurg, Putturam-501 004
 Branch Office: No.60/2, 1st Floor, Kaveri Street, Bellarynagar,
 Bangalore-560003

REGISTERED STRUCTURAL ENGINEER


S. UDHAYAKUMAR,
B.E., M.Tech (Struct), M.Tech (Geotech & Spcial), M.E (P)
Chartered Engineer, Reg. Valuer (BBI)
DTPC Reg. No. CGDIST/161/02/2011/11/011
P/O: A24, U. No. 17, 6th Cross Street,
Anna Nagar, Chennai-600 031,
Mob. 94-43101912
e-mail : anconstructions65@gmail.com

REGISTERED ENGINEER



