

APPLICANT :-Mrs.E.KAVIYA G/O:- Mr.SUGANTHI.,

SPECIFICATIONS:

1. R.C.C FOOTINGS FOR FOUNDATION IN M20 MIX
2. R.C.C. COLUMNS IN M20 MIX
3. R.C.C. ROOF SLAB AND BEAMS IN M20 MIX
4. 9" BRICK WORK IN C.M 1:5 IN SUPER STRUCTURE
5. COUNTRY WOOD DOORS WITH FLUSH SHUTTERS
6. COUNTRY WOOD GLAZED WINDOWS
7. INTERNAL PLASTERING IN C.M 1:4
8. EXTERNAL PLASTERING IN CM 1:5
9. WEATHERING COURSE IN BRICK JELLY LIME CONCRETE 1:3 MIX
10. WEATHERING TILES IN 9"X9" BURNT CLAY TILES IN LAID IN 1:3 MIX

AREA STATEMENT	SQ.FT	SQ.MT
PLOT AREA (AS PER DOCUMENT)	11282.04	1048.12
PLOT AREA (AS PER PATTA)	11282.04	1048.12
PLOT AREA (AS PER SITE)	11282.04	1048.12
PRO. GROUND FLOOR AREA	810.00	75.25

PLOT COVERAGE	:	25%
FLOOR SPACE INDEX	:	1.266

JOINERY DETAILS:

MD	MAIN DOOR	1.00X2.13
D1	DOOR	0.91X2.13
D2	TOILET DOOR	0.76X2.13
O	OPENING	0.91X2.13
W	WINDOW	1.83X1.22
W1	WINDOW	1.83X0.91
W2	WINDOW	1.22X1.22
V	VENTILATOR	0.91X0.61

COLOUR INDEX:

PROPOSED BUILDING	
EXISTING ROAD	
BOUNDARY LINE	
DEMOLITION	

APPLICANT SIGN:

**Er.Y. LAWRENCE, D.C.E., T.E., B.I.M.,
D.CADD, A.I.I.V., M.I.S.T.E., M.I.S.E., M.C.E.**
Registered Engineer : RE 089/LS/2022/00013
k: DTCP All District Registered Engineer,
Chartered Engineer : CE/IET/LM/111332-23
Approved Valuer : LM/Cat-1/A-5437,
AVM BUILDERS,
Perambalur -621 212.
Ph: 77086 01771, 80722 26701.

LICENSED SURVEYOR:

