

JOB TITLE

PLAN SHOWING THE PROPOSED ADDITIONAL CONSTRUCTION IN THE RESIDENTIAL MULTI STORY BUILDING APPROVED SITE IN PLAN NO: 627/2011 DATED : 26.12.12. IN S.NO. : 167/1, 167/2, 169/1A, 169/1B1, 169/1B2, 169/1B3, 169/2,170/2,172, 173/3, 173/4, 174/1,174/2, 175/1,175/2,176/1A,176/1B,176/2,176/1C, 177/1,177/2, 177/3,179/1,179/2A,179/2B,179/2C,183/2,185/1,186/2B,188/2A, 188/2B,188/2C, 189/2, 189/3, 190/1, 190/2, 190/3, 191/1, 191/2,193/1,193/2A, 193/2B,193/2C,193/2D, 194, 195, 196, 197/1, 197/2A, 197/2B1, 197/2B2, 197/2B3,197/3A,197/3B, 197/2C,197/3C,197/2D,197/2E,197/2F1,197/2F2, 198/1, 198/2, 199/1A, 199/1B, 199/1C, 199/1D, 199/1E, 199/2A, 199/2B, 199/2C, 199/2D, 199/2E, 199/2F, 199/2G, 200/2A, 200/2B, 200/2C, 200/2D, 200/2E, 200/2F & 205, KAZHIPATUR VILLAGE, THIRUPORUR TALUK, CHENGELPATU DISTRICT.

JOINERY SCHEDULE			SPECIFICATIONS:
SYM	DESCRIPTION	SIZE	1. ROOF SLAB IN R.C.C M25 GRADE, 11cm THICK 2. AAC BLOCK WORK IN C.M 1:5 3. R.C.C COLUMN IN M25 GRADE 4. PLINTH BEAM IN R.C.C M25 GRADE 5. WALL PLASTERING IN C.M 1:5, 12mm THICK 6. PARAPET WALL IN C.M 1:5, 1.20m HEIGHT 7. VITRIFIED TILES FLOORING 8. TEAK WOOD DOOR FRAMES & FLUSH DOOR SHUTTERS 9. UPVC SLIDING WINDOWS WITH 4mm THICK GLASS 10. WEATHERING COURSE-BRICK JELLY CONCRETE LAID WITH WEATHER PROOF TILES
D1	MAIN DOOR	0.105 x 2.10	
D2	MAIN DOOR	0.90 x 2.10	
D3	MAIN DOOR	0.75 x 2.10	
W1	WINDOW	2.40 x 2.00	
W2	WINDOW	2.10 x 2.00	
W3	KITCHEN WINDOW	1.50 x 2.00	
W4	WINDOW	1.00 x 1.20	
W5	WINDOW	0.9 x 1.20	
W6	WINDOW	0.75 x 1.20	
FD	FRENCH DOOR	2.40 x 2.10	
FD1	FRENCH DOOR	1.95+1.83 x 2.10	
FD2	FRENCH DOOR	1.00 x 2.10	
V1	VENTILATOR	0.60 x 1.20	
V2	VENTILATOR	0.60 x 0.60	
RS	ROLLING SHUTTER	3.00 x 2.40	

COLOR INDEX:

PROPOSED BUILDING	
ROAD LIMITS	
SITE BOUNDARY	

GPA / OWNER SIGNATURE

REGISTERED ENGINEER / ARCHITECT


REGISTERED STRUCTURAL ENGINEER

DRAWING TITLE:

BLOCK 8 TO 18 FLOOR PLAN
SECTION & ELEVATION

ALL DIMENSIONS ARE IN M.

SCALE 1 :400 SHEET NO:- 1/3



JOB TITLE

PLAN SHOWING THE PROPOSED ADDITIONAL CONSTRUCTION IN THE RESIDENTIAL MULTI STORY BUILDING APPROVED SITE IN PLAN NO: 627/2011 DATED : 26.12.12. IN S.NO. : 167/1, 167/2, 169/1A, 169/1B1, 169/1B2, 169/1B3, 169/2,170/2,172, 173/3, 173/4, 174/1,174/2, 175/1,175/2,176/1A,176/1B,176/2,176/1C, 177/1,177/2, 177/3,179/1,179/2A,179/2B,179/2C,183/2,185/1,186/2B,188/2A, 188/2B,188/2C, 189/2, 189/3, 190/1, 190/2, 190/3, 191/1, 191/2,193/1,193/2A, 193/2B,193/2C,193/2D, 194, 195, 196, 197/1, 197/2A, 197/2B1, 197/2B2, 197/2B3,197/3A,197/3B, 197/2C,197/3C,197/2D,197/2E,197/2F1,197/2F2, 198/1, 198/2, 199/1A, 199/1B, 199/1C, 199/1D, 199/1E, 199/2A, 199/2B, 199/2C, 199/2D, 199/2E, 199/2F, 199/2G, 200/2A, 200/2B, 200/2C, 200/2D, 200/2E, 200/2F & 205, KAZHIPATUR VILLAGE, THIRUPORUR TALUK, CHENGELPATU DISTRICT.

JOINERY SCHEDULE			SPECIFICATIONS:
SYM	DESCRIPTION	SIZE	
D1	MAIN DOOR	0.105 x 2.10	1. ROOF SLAB IN R.C.C M25 GRADE, 11cm THICK
D2	MAIN DOOR	0.90 x 2.10	2. AAC BLOCK WORK IN C.M 1:5
D3	MAIN DOOR	0.75 x 2.10	3. R.C.C COLUMN IN M25 GRADE
W1	WINDOW	2.40 x 2.00	4. PLINTH BEAM IN R.C.C M25 GRADE
W2	WINDOW	2.10 x 2.00	5. WALL PLASTERING IN C.M 1:5, 12mm THICK
W3	KITCHEN WINDOW	1.50 x 2.00	6. PARAPET WALL IN C.M 1:5, 1.20m HEIGHT
W4	WINDOW	1.00 x 1.20	7. VITRIFIED TILES FLOORING
W5	WINDOW	0.9 x 1.20	8. TEAK WOOD DOOR FRAMES & FLUSH DOOR SHUTTERS 9. UPVC SLIDING WINDOWS WITH 4mm THICK GLASS
FD	FRENCH DOOR	2.40 x 2.10	10. WEATHERING COURSE-BRICK JELLY CONCRETE LAID WITH WEATHER PROOF TILES
FD1	FRENCH DOOR	1.95+1.83 x 2.10	
FD2	FRENCH DOOR	1.00 x 2.10	
V1	VENTILATOR	0.60 x 1.20	
V2	VENTILATOR	0.60 x 0.60	
RS	ROLLING SHUTTER	3.00 x 2.40	

COLOR INDEX:

PROPOSED BUILDING

ROAD LIMITS

SITE BOUNDARY

GPA / OWNER SIGNATURE

REGISTERED ENGINEER / ARCHITECT

REGISTERED STRUCTURAL ENGINEER

DRAWING TITLE:

BLOCK 19 TO 26 FLOOR PLAN
SECTION & ELEVATION

ALL DIMENSIONS ARE IN M.

SCALE 1 :275 SHEET NO:- 2/3



