



பெருநகர சென்னை மாநகராட்சி
Greater Chennai Corporation
நகரமைப்பு பிரிவு - பணித்துறை

Town Planning Section-Works Department

Building Permission

(1919 ஆம்ஆண்டின் சென்னை மாநகராட்சி சட்டம் 238 வது பிரிவின் படி)

(1919 MCMC Act Section 238)

கட்டிட அனுமதி எண்/ Building Plan No		திட்ட அனுமதி எண்/Plan Submission No	
CEBA/WDCN11/00422/2025		CMDA/PP/HRB/N/0543/2023 - 25/08/2025	
மண்டலம் / Zone	கோட்டம் / Ward	அனுமதி நாள் / Approval Date	மனுபெறப்பட்ட நாள்/ Application Date
N11	N145	03/10/2025	03/10/2025

மனுதாரரின் பெயர் மற்றும் குடியிருப்பு முகவரி / Applicant name & address	RAMANIYAM REAL ESTATES PVT LTD GPA REP. BY ITS AUTHORIZED SIGNATORY THIRU. M.CHANDRU-M/S. RAMANI REALTORS PVT LTD, GPA REP. BY ITS DIRECTOR THIRU.S.JAYALAKSHMI BOTH GPA HOLDER OF THIRU. RAJKUMAR MANRAADIAR) No.14/67, 3rd MAIN ROAD, GANDHI NAGAR, ADYAR, CHENNAI-600 020.
மேம்பாட்டு தன்மை / Service Type	CMDA Proposal- only for Building Permit
மனை அமைவிடம் / Plot address	Block No:-,Plot No:-, Survey No:ANNEXURE ENCLOSED, Perumal Kovil Street Main Road,Nerkundram,Nerkundram,Maduravoyal, CHENNAI, 600107
Building License Fees	12352000
Road cut charges - CMWSSB SEWERAGE	60000
Road cut charges - CMWSSB, WATER	60000
Road cut charges - TNEB	60000
Scrutiny Fees	90000
மொத்தக் கட்டணம்/ Total (In Rs.)	12622000

Amount (in words): Rupees One Crore Twenty Six Lakhs Twenty Two Thousands Only

M.W.G.W.F. DD Details : DD Number: 701457 Amount: 15623000 Rs. Date:29/09/2025 Bank:RATNAKAR BANK LTD

பின் குறிப்பிட்ட நிபந்தனைகளுடன் அனுமதிக்கு ஒப்பளிக்கப்பட்ட வரைபட நகலின்படி அனுமதி

Sanctioned for CMDA Proposal- only for Building Permit Subject to Terms and Condition on Rear Side and as per Sanctioned plan copy.

இந்த அனுமதி 02/04/2026

முடிவு நாள் 02/10/2030

ஆம் தேதிக்குள் வேலை தொடங்காவிட்டால் காலாவதியாகிவிடும் தொடங்கப்பட்டிருந்தால் கட்டிட அனுமதி

This Sanction will expire if the construction is not started with in 02/04/2026

If Construction started Building Permit is valid up to 02/10/2030

R. S. S. S.
ASSISTANT EXECUTIVE ENGINEER. (T.P.)

Page 1 of 7

S. S. S. S.
EXECUTIVE ENGINEER. (T.P.)



GREATER CHENNAI CORPORATION
Town Planning Department

ANNEXURE


Building Permit Dated: 03.10.2025


CEBA / WDCN11/00422/ 2025

**M/S.RAMANIYAM REAL ESTATES PVT LTD GPA REP.BY ITS
AUTHORIZED SIGNATORY THIRU.M.CHANDRU M/S.RAMANI
REALTORS PVT LTD, GPA REP.BY ITS DIRECTOR
MS.S.JAYALAKSHMI (BOTH GPA HOLDER OF THIRU.RAJKUMAR
MANRAADIAR)**

Building Permission for the proposed construction of High Rise Residential Building of Group Development comprising of 3 Blocks with combined extended double basement floor (meant for parking) + Combined Stilt Floor (Meant for Parking & Block -1 Shop) consisting of Block -1: 1st & 2nd Floor Shop with 4 dwelling units & 3rd to 16th Floor with 42 dwelling units; Block-2: 1st Floor Club House & 8 Dwelling Units + 2nd to 16 Floors with 195 Dwelling Units Block-3: 1st to 16 Floors with 239 Dwelling Units (Totally 488 Dwelling Units) abutting proposed 80 Feet New Link Road on the Eastern side & Perumal Koil Street on the Western side, comprised in S.no.21/3, 23/1B2C, 2B2, 25/2A and 67 (as per Document) and S.Nos.21/3A, 23/1B2C, 2B2, 25/2A1 and 67 (as per Patta) of Nerkundram Village, Maduravoyal Taluk, Chennai District within the limit of Greater Chennai Corporation - Building permit - Approved - Regarding.


Asst. Exe. Engineer (T.P)


Executive Engineer (T.P)



பெருநகர சென்னை மாநகராட்சி
Greater Chennai Corporation
நகரமைப்பு பிரிவு - பணித்துறை

Assistant Executive Engineer (T.P.)

Executive Engineer (T.P.)

GREATER CHENNAI CORPORATION
CHENNAI - 600003.
GUIDELINES FOR CONSTRUCTION AND DEMOLITION WASTE
MANAGEMENT

In exercise of the powers conferred under section 199 of TNULB ACT 2023 and the Construction & Demolition Waste Management rules, 2016 and in order to ensure effective Construction & Demolition Waste Management in the Corporation of Chennai, the council hereby makes the Construction and demolition waste management Guidelines 2025.

1) **Waste Generator:** is defined by the C&D Rules as any person or association of persons or instructs residential and commercial establishments including Indian railways, airport, port and harbour and defence establishments who undertakes construction or demolition of any civil structure which generate C&D Waste. For this purpose "waste generators" shall be divided into four types and the definition for different types of waste generators are follows.

- i. **Micro generators:** The small generation who occasionally generate C&D Waste less than 1 MT from minor house repairs, broken ceramic sanitary ware like tiles, bathtubs, commodes, washbasins etc.
- ii. **Small Generators:** Those that generate C&D waste during building renovation, remodeling or repair or maintenance works etc. where the total amount of C&D Waste generated in the entire project is more than 1 MT and less than 20 MT per day.

It is clarified that if the project generates (a) an aggregate of 300 MT of C&D Waste per month and/or (b) pertains to demolition work covering an area equal to or more than 600 square metres, and/or (c) construction or building repair work covering an area equal to or more than 6000 square metres, the waste generator will not be considered as a "Small Generator" and will have to comply with the requirements of a "Bulk waste generator"

- iii. **Bulk waste generators:** Waste generators who generate (a) 20 MT or more in one day or 300 MT per project in a month as identified separately in the C&D Rules and/or (b) demolition work covering an area equal to or more than 600 square metres, and/or (C) construction or building repair work covering an area equal to or more than 6000 square metres. They shall dispose the C&D waste at the processing location.



பெருநகர சென்னை மாநகராட்சி
Greater Chennai Corporation
நகரமைப்பு பிரிவு - பணித்துறை

GREATER CHENNAI CORPORATION
CHENNAI - 600003.
GUIDELINES FOR CONSTRUCTION AND DEMOLITION WASTE
MANAGEMENT

In exercise of the powers conferred under section 199 of TNULB ACT 2023 and the Construction & Demolition Waste Management rules, 2016 and in order to ensure effective Construction & Demolition Waste Management in the Corporation of Chennai, the council hereby makes the Construction and demolition waste management Guidelines 2025.

1) **Waste Generator:** is defined by the C&D Rules as any person or association of persons or instructs residential and commercial establishments including Indian railways, airport, port and harbour and defence establishments who undertakes construction or demolition of any civil structure which generate C&D Waste. For this purpose "waste generators" shall be divided into four types and the definition for different types of waste generators are follows.

- i. **Micro generators:** The small generation who occasionally generate C&D Waste less than 1 MT from minor house repairs, broken ceramic sanitary ware like tiles, bathtubs, commodes, washbasins etc.
- ii. **Small Generators:** Those that generate C&D waste during building renovation, remodeling or repair or maintenance works etc. where the total amount of C&D Waste generated in the entire project is more than 1 MT and less than 20 MT per day.

It is clarified that if the project generates (a) an aggregate of 300 MT of C&D Waste per month and/or (b) pertains to demolition work covering an area equal to or more than 600 square metres, and/or (c) construction or building repair work covering an area equal to or more than 6000 square metres, the waste generator will not be considered as a "Small Generator" and will have to comply with the requirements of a "Bulk waste generator"

- iii. **Bulk waste generators:** Waste generators who generate (a) 20 MT or more in one day or 300 MT per project in a month as identified separately in the C&D Rules and/or (b) demolition work covering an area equal to or more than 600 square metres, and/or (C) construction or building repair work covering an area equal to or more than 6000 square metres. They shall dispose the C&D waste at the processing location.



பெருநகர சென்னை மாநகராட்சி

Greater Chennai Corporation

நகரமைப்பு பிரிவு - பணித்துறை

iv. **Service Providers:** They are defined as authorities who provide services like water, sewerage, electricity, telephone, roads, drainage etc. who often generate C&D Waste during their activities, which include excavation, demolition and civil work. For Greater Chennai Corporation, the following and their subsidiary organisations shall be indicatively considered as "Service Providers":

- Public Works Department (PWD) and Central Public Works Department (CPWD)
- Chennai Metro Rail Corporation (CMRL)
- National Highways Authority of India (NHAI)
- Airport Authority of India, Chennai (AAI, Chennai)
- Indian Railways
- Chennai Metropolitan Water Supply and Sewerage Board (CMWSSB)
- Chennai Metropolitan Development Authority (CMDA)
- Tamil Nadu Generation and Distribution Corporation Limited (TANGEDCO)
- Tamil Nadu Road Development Corporation (TNRDC)
- Tamil Nadu Electricity Board (TNEB)
- Tamil Nadu Urban Habitat Development Board (TNUHDB)
- Tamil Nadu Water Supply and Drainage Board (TWADB)

It is highlighted that GCC can introduce additional categories of waste generators for better management of C&D Waste if they deem fit.

The respective occupiers/owners/developers of a construction project shall be solely responsible for removal/transport/disposal of their C and D waste.

The occupiers can contact GCC's website for hiring services of the Construction and Demolition waste transporters or empanelled vendors or the GCC authorized Concessionaires and to pay necessary collection and transportation charges to transporters and pay for processing fee.

All generators shall not mix such Construction and Demolition wastes, inerts and debris with any other category of waste like wet waste, recyclable waste or any other types of wastes such as MSW, Plastic, Packaging material, gypsum, etc.

All hazardous wastes (explosive and related products fuels and heating oil, chemical admixtures, transformers Tar and Tar products etc) shall not be mixed with



பெருநகர சென்னை மாநகராட்சி
Greater Chennai Corporation
நகரமைப்பு பிரிவு - பணித்துறை

C and D waste but sent separately to TNPCB authorized recyclers or to hazardous waste disposal sites at their own cost and furnish proof of compliance whenever demanded.

Non compliance of getting Constructions and Demolition Waste Management plan and payment of user charges will attract the penalties.

It is Inevitable to penalize those who generate Construction and Demolition waste who do not comply with the one mentioned frame work.

LIST OF APPROVED CONSTRUCTION & DEMOLITION WASTE MANAGEMENT SITES DESIGNATED BY GCC FOR PROCESSING

Zone	Division	Name of the Facility & Address	Zones covered
4	37	Construction and Demolition waste processing facility, Kodungaiyur Dumping Ground	Zones 1 to 8
14	184	Construction and Demolition waste processing facility, Perungudi Dumping Ground	Zones 9 to 15

ILLUSTRATIVE RATES FOR SERVICE CHARGES

Part I – Service Charges payable by Waste Generators except Bulk waste Generators

S.No	Type of Waste Generators (excluding bulk waste generators)	Service charges in INR
1.	For collection and Transportation of C&D waste	- Upto 1000 kg – free of cost - Rs. 2500.00 per 1MT (above 1MT and less than 20 MT) if GCC service requires.

* These rates are indicative and, in the event, the GCC wants to change the Service fee from the above-mentioned rates due to any reason, it should cover the following costs for the GCC and /or private service provider on an aggregate basis:

- Loading of C&D waste (manpower and equipment such as JCB) and Transportation costs from waste generation point to C&D waste collection centres / waste processing facilities (i.e fuel, maintenance costs of the vehicles and manpower) @ Rs.2500/- per MT
- Costs of processing C&D Waste at the processing facilities @ Rs.800/- per MT



பெருநகர சென்னை மாநகராட்சி
Greater Chennai Corporation
 நகரமைப்பு பிரிவு - பணித்துறை

GCC will prescribe separate service charges fees for different C&D Waste management activities whenever new technologies are implemented. All payment gates will be available in GCC website.

PART II - Bulk Waste Generators deliver their waste :

Bulk Waste Generators transport their Construction and Demolition waste on their own cost and delivered to processing centre.

1. Costs of processing C&D Waste at the processing facilities @Rs.800/MT

PENALTIES (see Solid Waste Management Bye-law 2019 5.1 & 8)

Sl.No	Sub Section / Details of Section Rules	Penalty Amount (Rs.)
1	Unauthorized dumping of Construction and Demolition waste in all public places	Rs.5000.00

ILLUSTRATIVE PENALTIES FOR NON-COMPLIANCE

Sl.No	Offence	Bulk Generator/Service provider/Transporter (INR)	Small Waste Generator (in INR)	Collection & Transportation service provider (in INR)
1.	Dumping of Construction and demolition waste in storm water drains, open spaces and other non-designated areas	5000 per ton of C&D waste dumped	3000 per ton of C&D waste dumped	3000 per ton of C&D waste dumped. In addition, the GCC, through appropriate authorities, can impound the vehicle which will be released upon compounding of offences and payment of fines
2	Non-Compliance of the conditions of the waste management plan	i. 25,000 per day of default if (a) Construction or repair work is upto 6000 square metres and /or (b) demolition is upto 600 square metres	N.A	N.A

Detail Guidelines for Construction and Demolition Waste Management is available in GCC Website.

Link -

https://chennaicorporation.gov.in/gcc/CandD_Waste_Management/C&D%20Waste%20guidelines%20in%20english.pdf

அறிவிப்பு

1. 1919 வருடத்திய சென்னை மாநகராட்சி சட்டம், பிரிவு 107 மற்றும் 243ன் படி இக்கட்ட அனுமதி பேரில் கட்டடம் கட்டப்பட்டாலோ அல்லது கட்டடம் முடிவுற்றாலோ, கட்டட உரிமையாளர், கட்டட முடிவுற்ற 15 நாட்களுக்குள் அல்லது குடியிருந்த நாள், இதில் எது முன் கூட்டி வருகிறதோ, அதற்கு முன் சென்னை மாநகராட்சி ஆணையாளருக்கு தெருவிக்கத் தவறினால் ரூ. 50ற்கு மிகாமல் அபராதம் விதிக்கப்படும் என அறிவிக்கப்படுகிறது.
2. இந்த சட்டம் தொடங்கிய நாளிலிருந்து சென்னை மாநகராட்சி ஆணையாளரிடமிருந்து சான்றிதழ் பெறாமல் கட்டிடங்களுக்கு போதிய பாதுகாக்கப்பட்ட குடிநீரும் கழிவுநீர் வசதிகளும் செய்து தருவது சட்டத்திற்கு உட்பட்டது ஆகாது என அறிவிக்கப்படுகிறது.
3. தண்ணீரைப் பயன்படுத்தி துய்மையாக்கும் கழிப்பிடங்களை அமைப்பது நகரத்தின் சுகாதார நலன் கருதி அடிப்படைத் தேவையானதும் மிக முக்கியமானதும் என ஆணையாளர் கருதுவதால் ஒவ்வொரு வீட்டிலும் அவை அமைக்கப்பட வேண்டுமென வற்புறுத்தப்படுகிறது. தண்ணீரைப் பயன்படுத்தி துய்மையாக்கும் கழிப்பிடத்துடன் நச்சுத்தடை மலக்குழி அமைந்த வரைபடம் ஒப்புதல் அளிக்கப்பட்டு விட்டதென கருதி, கழிப்பிடம் மலக்குழியுடன் மற்றும் கழிவுநீர் குழாயுடன் இணைக்கப்படாவிட்டால், ஆணையாளர் சென்னை மாநகராட்சி சட்டம் 1919 ன் பிரிவு 186ன் படி அவருக்கு கொடுக்கப்பட்ட அதிகாரங்கள் மற்றும் உரிமைகளின் அடிப்படையில் நடவடிக்கை எடுக்க தடை இல்லை என அறிவிக்கப்படுகிறது.
4. அடித்தள மட்டம் கட்டிடத்தின் எல்லையை ஒட்டியுள்ள சாலை அல்லது தெருவின் மையப் பகுதியிலிருந்து 0.91 மீட்டர் உயர்த்தப்பட வேண்டும். சான்று அளிக்கப்பட்ட இடத்திற்கு அப்பால் பொது இடத்தில் ஆக்கிரமிப்பு ஏற்படாதவாறும் பக்கத்து வீட்டின் எல்லைக்கு அப்பாலும் ஏற்படாதவாறும் பார்த்துக் கொள்ள வேண்டும். ஈரத்தடுப்புடைய, தரை அமைக்கப்பட வேண்டும். கதவு மற்றும் சன்னல்கள் பொது இடத்தின் எல்லையை கடந்து ஆக்கிரமிப்பு செய்ய ஏதுவாக வெளிப்படக்கூடாது. புது படிக்கட்டுகள் விண்ணப்பதாரரின் எல்லைக்குள் அமைய வேண்டும். கட்டட பணிகள் நடக்கும் காலங்களில் மாநகராட்சி அலுவலர்களும் அதிகாரிகளும் பார்வையிட வாய்ப்பு உள்ளதால் மனையில் ஒப்புதல் பெற்றவரைப்படத்தின் நகலை எப்போதும் தயராக வைத்திருக்க வேண்டும். உதவி செயற் பொறியாளர் மற்றும் சார்நிலை அலுவலர்கள் வரைபடம் கேட்கும்போது காண்பிக்கப்பட வேண்டும்.
5. கட்டட அனுமதி அளிக்கப்பட்ட நாளிலிருந்து 6 மாதத்திற்குள் வேலை ஆரம்பிக்கப்பட்டு, 2 வருடத்திற்குள் கட்டி முடிக்கப்பட வேண்டும். இல்லையெனில் புதிதாக விண்ணப்பித்து உரிய உரிம கட்டணங்களைச் செலுத்தி, அனுமதி பெற்ற பின்னரே வேலையை தொடர்ந்து செய்யவேண்டும்.
6. 1 மீட்டர் நீளம் மற்றும் 0.5 மீட்டர் அகலமுள்ள பலகையில் திட்ட அனுமதி எண் நாள் அனுமதிக்கப்பட்ட தளங்கள் ஆகியவற்றைக் குறிப்பிட்டு, நன்றாக தெரியுமாறு மனையில் வைக்கப்பட வேண்டும்.
7. கட்டட அனுமதி வழங்கப்பட்ட பிறகு கட்டப்படும் கட்டுமானங்கள், ஒப்பளிக்கப்பட்ட வரைப்படங்களிலிருந்து மாறுபடுமானல் உங்களால் செலுத்தப்பட்ட பிணைவைப்புத்தொகை திரும்பத்தரப்பட மாட்டாது.
8. கட்டப்படும் கட்டிடத்தின் தரம் IS 486 IS 875, IS 1893 ஆகிய இந்தியகட்டிட தரக்கட்டுப்பாட்டு விதிகளின்படி அமைக்கப்பட வேண்டும். மற்றும் கட்டிட வரைபடத்தின் போது கொடுக்கப்பட்ட டிசைன் வரைபடத்தில் காட்டியபடி எஃகு கம்பிகள், காங்கிரீட், பீம்கள், மேலும் சிலாப்புகள் ஆகியவை அமைக்கப்பட வேண்டும்.
9. மழைநீர் சேமிப்பு அமைப்புகள் வரைபடத்தில் காட்டியபடி அமைக்கப்படாவிட்டால் கட்டிட வரைபடத்திலிருந்து மாறுபட்ட கட்டிடமாக கருதப்பட்டு விதிகளின்படி தக்க நடவடிக்கை எடுக்கப்படும்.
10. கட்டிட அனுமதி, மனுதாரர் தனது மனுவில் கொடுத்த தகவல்கள் உண்மைக்குப் புறம்பானது நடைமுறை வழக்கத்திற்கு மாறானது மற்றும் மோசடியான வழிமுறை ஆகியவற்றின் பேரில் அளிக்கப்பட்டதாக இருந்தால், கட்டிட அனுமதியை மாற்றவோ முழுமையாக திரும்பப் பெறவோ, 1972 வருடத்தில் சென்னை மாநகராட்சி சட்டம் 365 பிரிவு 4ன் படி நடவடிக்கை எடுப்பதற்கு ஆணையருக்கு முழு அதிகாரம் உண்டு என்பதையறியவும்.
11. பெருநகர சென்னை மாநகராட்சியால் சட்ட பூர்வமாக திட்ட அனுமதி கட்டிட அனுமதி அளிப்பதன் மூலம் விண்ணப்பதாரரின் பெயரில் நில உரிமையை உறுதிபடுத்தவில்லை. திட்ட அனுமதி அளிப்பதற்கு முன்பு, விண்ணப்பதாரரின் விண்ணப்பத்துடன் சமர்ப்பித்த ஆவணங்களில் (கிரையத்திரம் குத்தகை பத்திரம், பட்டா, தானப்பத்திரம், பொது அதிகார பத்திரம் மேலும் பல) விண்ணப்பதாரர் வளர்ச்சி செய்ய உரிமையுள்ளதா என்று மட்டுமே சரிபார்க்கப்படுகிறது. அதன்
12. சொத்தினை வாங்க விரும்பும் எந்த நபரும், விண்ணப்பதாரருக்கு சொத்தின் மீது உள்ள உரிமையை தனியாக உறுதிப்படுத்திக் கொள்ள வேண்டும். மேலும், அதன்மேல் வேறு யாரும் தனி நபர் உரிமை கோரினால் அவர்கள் அதனை பொருத்தமான தகுதியுள்ள நீதிமன்றத்தின் முன் தீர்த்துக் கொள்ளலாம். இதனை முடிவு செய்ய பெருநகர சென்னை மாநகராட்சி பொருத்தமான அமைப்பு இல்லை.
13. "மனுதாரர் இந்த கட்டிட அனுமதியில் குறிப்பிட்டுள்ள இடத்தில் கட்டிடம் கட்டுவது தொடர்பாக பதிவு சான்றிதழ் கட்டாயமாக இயக்குனரகம் தொழிற்சாலை பாதுகாப்பு மற்றும் சுகாதாரம் அவர்களிடம் இருந்து பெற வேண்டும். இச்சான்றிதழ் பிரிவு 7, கட்டிடம் மற்றும் கட்டுமான தொழிலாளர் (வேலை வாய்ப்பு முறைப்படுத்தல் மற்றும் சேவை கட்டுப்பாடு) சட்டம், 1996-ன் படி பெறவேண்டும். (Under Section 7 of Building and other construction workers
14. இந்திய அரசு அறிவிப்பு எண். N656, நாள் 24.11.1995 ன் படி இரண்டு அடுக்கு மற்றும் அதற்கு மேற்பட்ட அடுக்குமாடி குடியிருப்பின் தரை தளத்தில் தபால் பெட்டி (Letter delivery box) பொருத்தப்பட வேண்டும்.