



Your trusted partner for buying, selling, and managing property,
ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate

+91 9996 12 9996

Official Property Record

Digitally Verified Record - Powered by Verified  RealEstate™





Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Tamil Nadu)

To,

The Additional Director

ESCAPADE REAL ESTATE PVT. LTD.

No. 3, Old No. 25, Ganapathy Colony, 3 rd Lane off, Cenotaph Road,
 Teynampet, Thousand Lights, Chennai No. 3, Old No. 25, Ganapathy, 3rd
 Lane off, Cenotaph Road, Teynampet, Thousand Lights, Chennai. -600018

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
 under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
 in respect of project submitted to the SEIAA vide proposal number
 SIA/TN/MIS/232358/2021 dated 17 Mar 2022. The particulars of the environmental
 clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC23B038TN133989 |
| 2. File No. | 8852 |
| 3. Project Type | Expansion |
| 4. Category | B2 |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed expansion of Residential
complex Ashiana shubham developed by
M/S Escapade Real Estate Pvt. Ltd of
Sengundram village, Chengalpattu Taluk,
Chengalpattu District, Tamil Nadu |
| 7. Name of Company/Organization | ESCAPADE REAL ESTATE PVT. LTD. |
| 8. Location of Project | Tamil Nadu |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
 no 2 onwards.

Date: 12/05/2023

(e-signed)
Thiru.Deepak S.Bilgi
 Member Secretary
 SEIAA - (Tamil Nadu)

*Note: A valid environmental clearance shall be one that has EC identification
 number & E-Sign generated from PARIVESH. Please quote identification
 number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

*(Pro-Active and Responsive Facilitation by Interactive,
 and Virtuous Environmental Single-Window Hub)*





THIRU.DEEPAK S. BILGI, I.F.S.
MEMBER SECRETARY

**STATE LEVEL ENVIRONMENT IMPACT
ASSESSMENT AUTHORITY-TAMILNADU**
3rd Floor, Panagal Maaligai,
No.1, Jeenis Road, Saidapet,
Chennai - 600 015.
Phone No. 044-24359973
Fax No. 044-24359975

ENVIRONMENTAL CLEARANCE (EC)

Letter No. SEIAA-TN/F.No.8852/EC/8(a)/928/2023 dated: 03.04.2023

To

M/s. Escapade Real Estate Pvt Ltd.,
No 3, Old No 25, Ganapathy Colony, 3rd Lane off
Cenotaph Road
Thenampet, Thousand lights,
Chennai - 600 018

Sir,

Sub: SEIAA, TN - Environmental Clearance – Proposed Expansion of Residential complex Ashiana Shubham developed at S.F.Nos: 381/1A , 381/1B1, 381/1B2, 381/3A, 381/3B, 381/3C, 383/1A, 383/1B, 383/1C, 383/3 , 384 Pt, 385 Pt, 386 Pt, 389/4A, 389/4D1 Pt , 390/2B1, 390/2B2, 390/2B3, 390/2B4, 390/3A, 390/3B, 390/4, 390/5, 390/6A, 390/6B, 390/7A, 390/7B, 390/8, 394/1, 394/10A, 394/10B, 394/11A, 394/11B, 394/12, 394/14A, 394/14B1, 394/14B2, 394/14B3A, 394/14B3B, 394/2A, 394/2B, 394/2C, 394/2D, 394/2E, 394/2F, 394/3, 394/4, 394/5A & 8B2, 394/5B, 394/6, 394/8A, 394/8B1, 394/9, of Sengundram Village, Chengalpattu Taluk, Chengalpattu District, Tamil Nadu by M/s. Escapade Real Estate Private Limited -under Category B2 and Schedule S.No.8 (a) under the Environment Impact Assessment Notification, 2006, as amended Issued - Regarding.

- Ref: 1. Online proposal No.SIA/TN/MIS/232358/2021, Dated: 04.10.2021.
2. Your application for Environmental Clearance dated: 20.10.2021.
3. Minutes of the 254th SEAC Meeting held on 17.03.2022.
4. Minutes of the 498th SEIAA meeting held on 08.04.2022.

MEMBER SECRETARY
SEIAA-TN

5. Minutes of the 289th SEAC Meeting held on 24.06.2022.
6. Minutes of the 361st SEAC Meeting held on 10.03.2023.
7. Minutes of the 607th SEIAA meeting held on 03.04.2023.

This has reference to your application 1st & 2nd cited, the Proposed Expansion of Residential complex Ashiana Shubham by M/s. Escapade Real Estate Private Limited under Category B2 and Schedule S.No.8(a) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized Signatory furnished the detailed information in Form 1, Form 1A, Conceptual plan and liquidate enclosures are as Annexures:

Annexure 1


S. No	Description	Details									
i.	Name of the Project	Proposed Expansion of Residential complex Ashiana Shubham developed by M/s. Escapade Real Estate Private Limited									
ii.	Location	S.F.Nos: 381/1A , 381/1B1, 381/1B2, 381/3A, 381/3B, 381/3C, 383/1A, 383/1B, 383/1C, 383/3 , 384 Pt, 385 Pt, 386 Pt, 389/4A, 389/4D1 Pt , 390/2B1, 390/2B2, 390/2B3, 390/2B4, 390/3A, 390/3B, 390/4, 390/5, 390/6A, 390/6B, 390/7A, 390/7B, 390/8, 394/1, 394/10A, 394/10B, 394/11A, 394/11B, 394/12, 394/14A, 394/14B1, 394/14B2, 394/14B3A, 394/14B3B, 394/2A, 394/2B, 394/2C, 394/2D, 394/2E, 394/2F, 394/3, 394/4, 394/5A & 8B2, 394/5B, 394/6, 394/8A, 394/8B1, 394/9 of Sengundram Village, Chengalpattu Taluk, Chengalpattu District, Tamil Nadu Latitude: 12°45'44.25"N - 12°45'38.32"N Longitude: 80° 2'24.07"E - 80° 2'23.88"E									
iii.	Type of Project	Building and Construction Projects Schedule 8 (a), Category "B2"									
iv.	Total Area (in sq. m)	Total Land Area – 81,747.38 Sq.m. <table border="1"> <thead> <tr> <th>S. No.</th><th>Description</th><th>Area (Sq. m.)</th></tr> </thead> <tbody> <tr> <td>1</td><td>Plot Coverage</td><td>22,133.05</td></tr> <tr> <td>2</td><td>Green Belt Area</td><td>20,314</td></tr> </tbody> </table>	S. No.	Description	Area (Sq. m.)	1	Plot Coverage	22,133.05	2	Green Belt Area	20,314
S. No.	Description	Area (Sq. m.)									
1	Plot Coverage	22,133.05									
2	Green Belt Area	20,314									

MEMBER SECRETARY
SEIAA-TN


		3	Roads, Pavements & Other Service Areas						28,461.33		
		4	Parking Area						10,839		
		Total							81,747.38		
		5	OSR Area (Excluded in Total Plot Area)						18,198.79 sq.m.		
v.	Built up area										
	Total Built up Area - 98881.63 Sq.m										
	No of Dwelling Units – Constructed – 512 and Proposed - 460 (Under Construction)										
	Detailed Built Up Area Statement										
S. No.	Phase	AS PER EARLIER EC (Sq.m)			Constructed (Sq.m)			Total Built-up Area (Sq.m)			
		FSI	Non FSI	BUA	FSI	Non FSI	BUA	FSI	Non FSI	BUA	
1	Phase 1	13940.47	814.72	14755.19	13940.47	814.72	14755.19	13940.47	814.72	14755.19	
2	Phase 2	12655.74	727.41	13383.20	12655.74	727.41	13383.20	12655.74	727.41	13383.20	
3	Phase 3	19276.81	1015.26	20292.07	19063.41	959.66	20023.07	19063.41	959.66	20023.07	
4	Phase 4	30592.37	1888.88	32481.25	30680.04	713.6	31393.64 (Under construction)	38377.81	1399.50	39777.31	
5	Phase 5	9096.55	523.20	9619.75	0	0	0	9613.28	489.08	10102.36	
Total		85561.94	4969.47	90531.50	76339.66	3215.39	79555.7	93650.71	4390.37	98041.02	
vi.	Cost of Project		Rs. 264.54 Crores								
vii.	Brief description of the project		S. No.	Description		As per EC		Difference due to expansion		Total As per Proposed	
1.			Built up Area		90531.36 sq. m.		8350.16		98881.52 sq.m.		


MEMBER SECRETARY
SEIAA-TN

		2.	No. of Dwelling Units	936	36	972
		3.	Population	5424	5382	42
		4.	Fresh water Requirement	431	31	462
		5.	STP Capacity	600 KLD	150 KLD	750 KLD
		6.	DG Sets	250 KVA – 1 No 500 KVA – 2 Nos	-	250 KVA – 1 No 500 KVA – 2 Nos
		7.	Solid Waste generation	2468 kg/day (2.5T/day)	28 kg/day	2496 kg/day
viii.	Water requirement KLD	Total Water Requirement: 684 KLD - Fresh water – 462KLD i. Domestic –442KLD ii. Swimming pool –10KLD iii. Filter Backwash –10KLD - Flushing Water- 222KLD				
ix.	Details of Sewage Treatment Plant	Quantity of sewage generated: 542KLD (222+310+10)				
x.	Details of STP	Sewage Treatment Plant – 750 KLD capacity Bar Screen Chamber Collection and Equalization tank Aeration tank Secondary Settling tank Clarified water tank Pressure Sand filter Activated Carbon filter Sludge holding tank Treated water sump				
xi.	Mode of Disposal of treated sewage	Total Treated waste water – 488 KLD Toilet Flushing – 222 KLD				


MEMBER SECRETARY
SEIAA-TN

	with quantity	ii. Greenbelt Development/ Horticulture – 256 KLD iii. Filter Backwash – 10KLD																							
xii.	Quantity of Solid Waste generated per day, Mode of treatment and Disposal of Solid Waste	<table><tr><th>Description</th><th>% of Waste</th><th>Quantity (Kg/day)</th><th colspan="2">Method of Treatment/Disposal</th></tr><tr><td>Bio Degradable</td><td>40</td><td>998.40</td><td colspan="2">Organic waste convertor</td></tr><tr><td>Non Bio Degradable</td><td>60</td><td>1497.60</td><td colspan="2">Authorized Recyclers</td></tr><tr><td>Sludge from STP</td><td>--</td><td>70</td><td colspan="2">Manure for Greenbelt</td></tr></table>				Description	% of Waste	Quantity (Kg/day)	Method of Treatment/Disposal		Bio Degradable	40	998.40	Organic waste convertor		Non Bio Degradable	60	1497.60	Authorized Recyclers		Sludge from STP	--	70	Manure for Greenbelt	
Description	% of Waste	Quantity (Kg/day)	Method of Treatment/Disposal																						
Bio Degradable	40	998.40	Organic waste convertor																						
Non Bio Degradable	60	1497.60	Authorized Recyclers																						
Sludge from STP	--	70	Manure for Greenbelt																						
xiii.	Power requirement	The total power requirement 5875 KVA																							
xiv.	Details of D.G. set with Capacity and Stack Height	A total 1250 KVA capacity of DG sets <table><tr><th>S.No</th><th>Description</th><th colspan="3">Existing</th></tr><tr><td>1.</td><td>DG set capacity</td><td colspan="3">1250 KVA (1 X 250 KVA + 2 X 500 KVA)</td></tr><tr><td>2.</td><td>Type of Fuel</td><td colspan="3">High Speed Diesel</td></tr><tr><td>3.</td><td>Material of Stack</td><td colspan="3">MS Pipes with Thermal Insulation 150mm</td></tr></table>				S.No	Description	Existing			1.	DG set capacity	1250 KVA (1 X 250 KVA + 2 X 500 KVA)			2.	Type of Fuel	High Speed Diesel			3.	Material of Stack	MS Pipes with Thermal Insulation 150mm		
S.No	Description	Existing																							
1.	DG set capacity	1250 KVA (1 X 250 KVA + 2 X 500 KVA)																							
2.	Type of Fuel	High Speed Diesel																							
3.	Material of Stack	MS Pipes with Thermal Insulation 150mm																							
xv.	Details of Parking Area	<table><tr><th>Description</th><th>Parking Proposed (Nos)</th><th>Parking as per EC(Nos)</th><th colspan="2">Difference due to Expansion</th></tr><tr><td>CarParking</td><td>814</td><td>648</td><td colspan="2">166</td></tr><tr><td>TwoWheeler Parking</td><td>332</td><td>288</td><td colspan="2">44</td></tr></table>				Description	Parking Proposed (Nos)	Parking as per EC(Nos)	Difference due to Expansion		CarParking	814	648	166		TwoWheeler Parking	332	288	44						
Description	Parking Proposed (Nos)	Parking as per EC(Nos)	Difference due to Expansion																						
CarParking	814	648	166																						
TwoWheeler Parking	332	288	44																						
xvi.	Details of Green Belt Area	20314.00 Sq.m Number of Trees – 1022 (Existing – 650 and proposed – 375)																							
xvii.	Provision for rain water harvesting	Total Runoff in the site – 543.91 Cum/annum No. of RWH structures required - 26 Nos.																							
xviii.	EMP Cost (Rs.)	Capital Cost – Rs. 279.2 Lakhs Recurring Cost – Rs. 58.6 Lakhs per annum																							
xix.	CER activities with the specific allocation of funds	Rs.2 crore will be spent towards CER as per SEAC minutes																							


MEMBER SECRETARY
SEIAA-TN

8/12

Affidavit

We, M/s. Escapade Real Estate Pvt. Ltd, Chennai, represented by its, Additional Director, **Mr.Piyush J Bhatt**, has proposed expansion of Residential complex Ashiana Shubham at S.F Nos. 381/1A, 381/1B1, 381/1B2, 381/3A, 381/3B, 381/3C, 383/1A, 383/18, 383/1C, 383/3, 384Pt., 385Pt, 386Pt, 389/4A, 389/4D1Pt., 390/2B1, 390/2B2, 390/2B3, 390/2B4, 390/3A, 390/3B, 390/4,390/5, 390/6A, 390/6B, 390/7A, 390/7B, 390/8, 394/1, 394/10A, 394/10B, 394/11A, 394/11B, 394/12, 394/14A, 394/14B1, 394/1482, 394/1483A, 394/14B3B, 394/2A, 394/2B, 394/2C, 394/2D, 394/2E, 394/2F, 394/3, 394/4, 394/5A&8B2, 394/5B, 394/6, 394/8A, 394/8B1, 394/9 in Sengundram village, Chengalpattu Taluk, Chengalpattu district, Tamil Nadu having 81,747.38 sq.m. of land with proposed built up area after the expansion is 98,881.63 sq. m. (Existing Built up area - 90531.36sq.m, proposed built-up area- 8350.27sq.m.). An application submitted by us seeking Environmental Clearance under the EIA Notification, 2006 is under scrutiny with the Authority.

As per the MOM of 607th SEIAA TN Meeting dated 03.04.2023. I/We furnish the following undertakings to the Authority.

I/We Sworn that:

1. We fully assure that Green Belt Area of 20,314sq.m. Which works out to be 24.85% of the total site area of 81,747.38sq.m. will be allotted and will not be used for any other activities. A wide range of indigenous plant species shall be planted.
2. We ensure tapping of solar energy will be 5% of total energy consumption and utilized mainly for the illumination of common areas, street lighting etc.
3. We shall draw the daily freshwater requirement of 462KLD during the entire period of operation from Maraimalai Nagar Municipality. Based on the above letter submitted, we hereby undertake and commit that required water for the entire operation period will be obtained from the above Authority, before commissioning the project or before handing over the project, whichever is earlier. We shall commission the project, only after providing required water supply for the project as committed.
4. Quantity of sewage generated during operational phase shall be 542 KLD. This sewage will be treated through Sewage Treatment Plant of capacity 750 KLD. The treated water of 488 KLD will be reused for Toilet Flushing 222 KLD, Greenbelt development 71 KLD, Irrigation purpose 185 KLD, Filter Backwash 10 KLD. We


MEMBER SECRETARY
SEIAA-TN

commit the continuous operation and maintenance of STP to achieve the standards prescribed by the CPCB/TNPCB.

5. We ensure the height of the stacks of DG sets will be provided as per the CPCB norms.
6. We assure that domestic solid wastes will be regularly collected in bins or waste handling receptacles and disposed of as per the solid waste management rules 2016. The biodegradable waste of 998.40kg/day shall be treated by Organic Waste Convertor and non-biodegradable waste of 1497.60kg/day shall be given to Authorized Recyclers. The STP Sludge generated of 70 kg/day will be dewatered using centrifuge and the same shall be used as manure for Green Belt development.
7. We assure to provide backup power supply to STP from standby D.G set for continuous operation of the STP in case of power failure.
8. We fully assure that all the recyclable waste including used papers, batteries and metal scraps etc. will be properly collected for eventual re-use and recycling as per the Hazardous Waste Management Rules, 2016.
9. We commit that no waste will be disposed of in any watercourse including drains, canals, and to the surrounding environment.
10. We ensure the strict adherence of safety measures as prescribed in the report.
11. We fully avoid any traffic congestion near the entry and exit points from the roads adjoining with the strict adherence to the traffic measures
12. We fully ensure the proper disposal of E-waste through an authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.
13. We ensure that 4-star GRIHA National Rating System in environmental performance of the proposed building will be achieved.\
14. As per the MoEF&CC, Office Memorandum F.No. 22-65/2017-IA.III dated 30.09.2020 and 20.10.2020 the detailed EMP mentioning all the activities as proposed in the CER is prepared and furnished hereunder:

S. No	Category	Sub-Category	Tentative Measures	Planned Expenditure (in Lakhs)
1	Infrastructure and Area Development	Road	Development a road nearby the project Laying damaged road, upgrade with lights,	60


MEMBER SECRETARY
SEIAA-TN



			drainage, signage etc.	
2		School	1 nearby primary and 1 nearby middle school shall be renovated, infrastructure shall be upgraded.	75
3		Road side plantation	Plantation along the road in nearby areas and schools.	5
4	Health	Donations to various Governing and Pvt. Bodies	Contribution in terms of donation, community awareness activities, hygiene, drainage and water supply, or any emergency addressal (For Example ambulance etc.)	40
5	Education	Education	Contribution in terms of distribution of uniform, laboratory equipment, etc.	20
Total				200

15. We also commit that no construction activities were carried out at the site beyond the capacity as per the previously approved EC. In this regard, photographs of the project site taken on the 27th Day of February in the Year 2022 are enclosed.
16. We also commit that the site does not encroach any water bodies / reserve forests/wetlands.
17. We shall adhere to the conditions stipulated by the District Forest Officer vide Proc.No.543E/2013/D Dated: 25.07.2014 in letter and spirit.
18. No liquid waste and solid waste shall be let into Forest land and adjacent land.
19. Forest boundary shall not be tampered/encroached/breached under any circumstances.
20. We shall obtain a fresh NOC from the Forest Department (not more than one year before obtaining CTO from TNPCB for entire project).
21. We shall ensure that, all clearances or NOCS as applicable and required from various departments like TNPCB, local bodies and other departments, shall be obtained and submitted before obtaining CTO for entire project from TNPCB.


MEMBER SECRETARY
SEIAA-TN

22. We shall ensure that the project activities shall not result in any changes to the vegetation, biodiversity and forest structure.

The Concerned Authority implementing this project, can be prosecuted under relevant Act and Rules, if it is not ensuring the adherence of the above commitments.

With these actual facts, I understand that we will abide by the final verdict of the hon'ble NGT in OA 25 of 2022. The environmental clearance for the proposed expansions project may be awarded with this condition for compliance.

SEAC Recommendations:

The proposal was placed in 254th SEAC meeting held on 17.03.2022. The details of the project furnished by the proponent are given in the website (parivesh.nic.in).

The SEAC noted the following:

1. The Project Proponent, M/s.Escapade Real Estate Private Limited has applied for Environmental Clearance for the proposed Expansion of Residential complex Ashiana Shubham developed at S.F. No: 381/1A, 381/1B1, 381/1B2, 381/3A, 381/3B, 381/3C, 383/1A, 383/1B, 383/1C, 383/3,384 Pt., etc., of Sengundram Village, Chengalpattu Taluk, Chengalpattu District, Tamil Nadu.
2. The project/activity is covered under Category "B2" of Item 8(a) "Building and Construction Projects" of the Schedule to the EIA Notification, 2006.
3. M/s.Escapade Real Estate Private Limited has obtained EC vide letter No. SEIAA/TN/F.3814/EC/8(a)/435/2015 dated 18.12.2015.
4. The Project Proponent has obtained Certified Compliance report from MoEF&CC Regional office (South Eastern Zone) vide F. No.EP/12.1/SEIAA/2016-17/49/TN dated 10.01.2022.

Based on the presentation and document furnished by the project proponent, SEAC decided to **recommend the proposal for the grant of Environmental Clearance** subject to the following specific conditions in addition to normal conditions stipulated by MOEF&.CC,

1. The project proponent shall provide sewage treatment plant of 750 KLD capacity as committed and shall continuously operate and maintain the same to achieve the standards prescribed by the TNPCB/CPCB.
2. The project proponent shall achieve 4 star GRIHA National Rating System in


MEMBER SECRETARY
SEIAA-TN




environmental performance of the proposed building.

3. The proponent shall provide Organic Waste Converter plant within project site for bio-degradable waste and shall dispose the non- Biodegradable waste to authorized recyclers as committed.
4. The height of the stacks of DG sets shall be provided as per the CPCB norms.
5. The project proponent shall submit structural stability certificate from reputed institutions like IIT, Anna University etc. to TNPCB before obtaining CTO.
6. The proponent shall make proper arrangements for the utilization of the treated water from the proposed site for toilet flushing, Green belt development & OSR and any further surplus treated water shall be given to irrigation purpose as committed and no treated water shall be let out of the premise.
7. The sludge generated from the Sewage Treatment Plant shall be collected and de-watered using filter press and the same shall be utilized as manure for green belt development after composting.
8. The proponent shall provide the separate wall between the STP and OSR area.
9. The purpose of green belt around the project is to capture the fugitive emissions, carbon sequestration and to attenuate the noise generated, in addition to improving the aesthetics. A wide range of indigenous plant species should be planted as given in the **appendix**, in consultation with the DFO, State Agriculture University and local school/college authorities. The plant species with dense/moderate canopy of native origin should be chosen. Species of small/medium/tall trees alternating with shrubs should be planted in a mixed manner.
10. Taller/one year old saplings raised in appropriate size of bags, preferably eco-friendly bags should be planted in proper espacement as per the advice of local forest authorities/botanist/horticulturist with regard to site specific choices. The proponent shall earmark the greenbelt area with GPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organised manner.
11. The unit shall ensure the compliance of land use classification fit for construction.
12. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the pubic usage and as committed.
13. The Proponent shall provide rain water harvesting sump of adequate capacity for collecting the runoff from rooftops, paved and unpaved roads as committed.


MEMBER SECRETARY
SEIAA-TN

14. The project proponent shall allot necessary area for the collection of e-waste and strictly follow the E-Waste Management Rules 2016, as amended for disposal of the E waste generation within the premise.
15. The project proponent shall obtain the necessary authorization from TNPCB and strictly follow the Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended for the generation of hazardous waste within the premises.
16. No waste of any type to be disposed off in any other way other than the approved one.
17. All the mitigation measures committed by the proponent for the flood management to avoid pollution in air, noise, solid waste disposal, sewage treatment & disposal etc., shall be followed strictly.
18. The project proponent shall furnish commitment for post-COVID health management for construction workers as per ICMR and MHA or the State Government guidelines.
19. The project proponent shall provide a medical facility, possibly with a medical officer in the project site for continuous monitoring the health of construction workers during COVID and Post - COVID period.
20. The project proponent shall measure the criteria air pollutants data (including CO) due to traffic again before getting consent to operate from TNPCB and submit a copy of the same to SEIAA.
21. Solar energy should be at least 10% of total energy utilization. Application of solar energy should be utilized maximum for illumination of common areas, street lighting etc.
22. As per the MoEF&CC Office Memorandum F.No. 22-65/2017-IA.III dated: 30.09.2020 and 20.10.2020, the proponent shall adhere the EMP cost of Rs.279.2Lakhs as committed.
23. As accepted by the Project Proponent the CER cost is Rs.2 crore and the amount shall be spent for (1) development of approach road to Gokulapuram Main Road and planting of avenue trees (2) Providing package of facilities to Panchayat Union Primary Schools at Karunilam and Gundalur (3) Road side plantation and (4) donation to local Panchayats to undertake construction of community assets under 'NamakkuNaame' Scheme.


MEMBER SECRETARY
SEIAA-TN

Subsequently this proposal was placed in 498th SEIAA meeting held on 8.4.2022. After detailed discussions, the Authority noted that E- Mail message enclosed with a letter dated 01.04.2022 has been received from DEE, TNPCB, MMN on 01.04.2022 regarding a pending court case before Hon'ble NGT (SZ) in its order dated 15.03.2022 regarding the unit of M/s Escapade Real Estate Ltd at Senkundram Village, Chengalpattu. In this regard, the Authority decided to refer back the proposal to SEAC for re-examining the pending court case as stated above.

This proposal was again placed in 289th meeting of SEAC held on 24.06.2022. The PP has made the representation covering the points as sought by the SEIAA. After detailed deliberation, SEAC decided that as it is a legal issue, SEIAA may take decision based on the outcome in the pending case before the Hon'ble NGT(SZ).

Subsequently, the proposal was placed in the 534th Authority meeting held on 18.07.2022. The authority after detailed deliberation, decided that the examination of the proposal may be kept in abeyance and further course of action for this proposal is subject to the outcome of the O.A.No.25 of 2022 pending in Hon'ble NGT(SZ) Chennai and SEAC may examine the outcome and the recommendation for grant of Environmental Clearance may be furnished to SEIAA.

Subsequently, Hon'ble NGT (SZ) Chennai has passed orders on 13.02.2023 stating

ORDER

- 1. Heard the learned counsels. The SEIAA – Tamil Nadu has filed its report dated 13.02.2023. However, the report of the Water Resources Department is yet to be filed.*
- 2. From the report of the SEIAA – Tamil Nadu, it appears that there has been some violation of the Environmental Clearance (EC) conditions. If that is so, let the objection be filed by the project proponent. It is also stated that the Environmental Clearance (EC) applied for expansion is also lying with the SEIAA. We clarify that the application may be considered on merits, as there is no specific order of stay.*
- 3. We await the report of the Water Resources Department. Let the matter be listed on 20.02.2023.*

Now, the proposal is placed in the 361st SEAC meeting held on 08.03.2023. Based on the


MEMBER SECRETARY
SEIAA-TN

orders passed by Hon'ble NGT (SZ) proposal was considered for appraisal and SEAC had already made its recommendation in its 254th SEAC meeting held on 17.03.2022. Hence, SEIAA may take appropriate decision based on the NGT order.

SEIAA Recommendations:

The subject was placed in 607th Authority meeting held on 03.04.2023. The authority noted that the subject was appraised in 361st SEAC meeting held on 10.03.2023.

SEAC had already examined the proposal on merits and made its recommendation in its 254th SEAC meeting held on 17.03.2022. Now, the Hon'ble NGT has clarified that the proposal that *"We clarify that the application may be considered on merits, as there is no specific order of stay."* Hence, SEIAA may take appropriate action on the SEAC recommendation already made.

After detailed deliberations, the Authority accepts the recommendations of SEAC and decided to grant Environmental Clearance subject to the conditions as recommended by SEAC in addition to the following conditions and conditions stated therein vide Annexure 'C':

1. The proponent shall adhere to the conditions stipulated by the District Forest Officer vide Proc.No.5438/2013/D Dated: 25.07.2014 in letter and spirit.
2. No liquid waste and solid waste must be let into Forest land and adjacent lands.
3. Forest boundary should not be tampered/encroached/breached under any circumstances.
4. The proponent shall obtain a fresh NOC from the Forest Department (not more than one year) before obtaining CTO from TNPCB.
5. All clearances and NOC as required from various departments like TNPCB, local bodies and other departments shall be obtained and submitted before obtaining CTO from TNPCB.

Annexure- 'C'

1. The proponent shall ensure that no treated or untreated sewage shall be let outside the project site & shall find access to nearby water-bodies under any circumstances other than the permitted mode of disposal.
2. The proponent shall provide STP of adequate capacity as committed and shall continuously & efficiently operate STP so as to satisfy the treated sewage discharge standards prescribed by the TNPCB time to time.


MEMBER SECRETARY
SEIAA-TN



3. The proponent shall periodically test the treated sewage through TNPCB lab /NABL accredited laboratory and submit report to the TNPCB.
4. The proponent shall periodically test the water sample for the general water quality core parameters including fecal coliform within the proposed project site through TNPCB lab /NABL accredited laboratory and submit report to the concerned authorities.
5. All the construction of Buildings shall be energy efficient and conform to the green building norms. The PP shall ensure that carbon neutral building.
6. The project proponent shall adhere to provide adequate parking space for visitors of all inmates including clean traffic plan as committed.
7. The proponent shall ensure that no form of municipal solid waste shall be disposed outside the proposed project site at any time.
8. All bio-safety standards, hygienic standards and safety norms of working staff and patients to be strictly followed as stipulated in EIA/EMP.
9. The disaster management and disaster mitigation standards to be seriously adhered to avoid any calamities.
10. The project proponent shall adhere to height of the buildings as committed.
11. The proponent shall ensure that the EIA/EMP and disaster management plan should be adhered strictly.
12. The activities should in no way cause emission and build-up Green House Gases. All actions to be eco friendly and support sustainable management of the natural resources within and outside the campus premises.
13. The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
14. The proponent shall ensure that provision should be given for proper utilization of recycled water.
15. The proponent shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building.
16. All the Buildings shall be energy efficient and confirm to the green building norms.
17. The proponent shall ensure almost safety for the existing biodiversity, trees, flora & fauna shall not disturb under any circumstances.


MEMBER SECRETARY
SEIAA-TN

18. The proponent shall ensure that the all activities of EMP shall be completed before obtaining CTO from TNPCB.
19. The proponent shall ensure that the activities undertaken should not result in carbon emission, and temperature rise, in the area.
20. The proponent shall ensure that the buildings and activities should not result in Environmental damages, nor result in temperature rise.
21. The proponent shall provide and ensure the green belt plan is implemented as indicated in EMP. Also, the proponent shall explore possibilities to provide sufficient grass lawns.
22. The project proponent shall ensure to provide adequate elevated closed area earmarked for collection, segregation, storage & disposal of wastes generated within the premises as per provisions of Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
23. The proponent shall provide the emergency exit in the buildings.
24. The proponent shall provide elevator as per rules CMDA/DTCP.
25. The proponent shall provide adequate capacity of DG set (standby) for the proposed STP so as to ensure continuous and efficient operation.
26. The proponent shall adhere to the provision and norms regard to fire safety prescribed by competent authority.
27. The project proponent shall adhere to storm water management plan as committed.

Environmental Clearance along with the conditions containing four parts namely

Part - A – Common conditions applicable for Pre-construction, Construction and Operational Phases

Part - B – Specific Conditions – Pre construction phase

Part - C – Specific Conditions – Construction phase

Part - D – Specific Conditions – Operational Phase/Post constructional Phase / Entire life of the project.


MEMBER SECRETARY
SEIAA-TN



Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:

Part - A – Common conditions applicable for Pre-construction, Construction and Operational Phases:

1. Any appeal against this Environmental Clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
2. The construction of STP, ETP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.
3. The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.
4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
5. The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
6. A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as

**MEMBER SECRETARY
SEIAA-TN**

amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.

8. The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
9. "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.
12. The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
13. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM₁₀, PM_{2.5}, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.


MEMBER SECRETARY
SEIAA-TN



15. The SEIAA, TN may cancel the Environmental Clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the Environmental Clearance.
16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.
17. The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.
20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
21. The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
22. The Project Proponent has to provide rain water harvesting pits 16Nos to recover and reuse the rain water during normal rains as reported.
23. The project activity should not cause any disturbance & deterioration of the local bio diversity.
24. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
25. All the assessed flora & fauna should be conserved and protected.


MEMBER SECRETARY
SEIAA-TN

26. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
27. Necessary permission shall be obtained from the competent authority for the drawl / outsourcing of fresh water before obtaining consent from TNPCB.
28. The proponent shall appoint an Environmental Engineer with necessary qualification for the operation and maintenance of STP (Sewage Treatment Plant) and GWTP (grey water Treatment Plant)
29. The Proponent shall provide the dispenser for the disposal of Sanitary Napkins.
30. All the mitigation measures committed by the proponent for the flood management, Solid waste disposal, Sewage treatment & disposal etc., shall be followed strictly.
31. No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
33. The safety measures proposed in the report should be strictly followed.

Part - B – Specific Conditions – Pre construction phase:

1. **The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.**
2. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
3. **A copy of the clearance letter shall be sent by the proponent to the Local Body. The clearance letter shall also be put on the website of the Proponent.**
4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquake, adequacy of firefighting equipments, etc. as per National


**MEMBER SECRETARY
SEIAA-TN**



Building Code including protection measures from lightning etc. before commencement of the work.

5. All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
6. Design of buildings should be in conformity with the Seismic Zone Classifications.
7. The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
8. No construction activity of any kind shall be taken up in the OSR area.
9. Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
10. The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
11. The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
12. The project proponent shall ensure the entry of basement shall be above maximum flood level.
13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line.
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - iii. Pipe Line conveying the treated effluent for toilet flushing
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Storm water drains, and
 - ix. Rain water harvesting system, etc. and it shall be made available to the owners
14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.


MEMBER SECRETARY
SEIAA-TN

15. The present land use surrounding the project site shall not be disturbed at any point of time.
16. The green belt area shall be planted with indigenous native trees.
17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
19. The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972 & Bio diversity Act 2002 should not be violated.
20. There should be Firefighting plan and all required safety plan.
21. Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions – Construction phase:

1. Construction Schedule:

- i) The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

2. Labor Welfare:

- i) All the laborers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.


MEMBER SECRETARY
SEIAA-TN



3. Water Supply:

- i) The entire water requirement during construction phase may be met from private tankers
- ii) Provision shall be made for the housing labor within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices prevalent.
- v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devices / sensor based control.

4. Solid Waste Management:

- i) In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be co-composted with biodegradables.
- ii) Hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.
- iii) Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.
- iv) No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- v) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.


MEMBER SECRETARY
SEIAA-TN

5. Top Soil Management:

- i) All the top soil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

6. Construction Debris disposal:

- i) Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

- i) Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon.
- ii) The diesel required for operating stand by DG sets shall be stored in barrels fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.

8. Air & Noise Pollution Control:

- i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during


MEMBER SECRETARY
SEIAA-TN



the construction phase. The pollution abatement measures shall be strictly implemented.

- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per CMDA norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.
- v) The project proponent should ensure that adequate Air Pollution Control measures shall be provided from buses and other vehicles, which will be entering the bus terminal. Further, water sprinkling system shall be provided and same shall be used at regular interval to control the dust emission within the project site.

9. Building material:

- i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.
- ii) Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.
- iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.

11. Energy Conservation Measures:

- i) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.


MEMBER SECRETARY
SEIAA-TN

- ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air-conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three month's time.
- vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:

- i) Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- ii) Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

- i) The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.
- ii) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area all along the boundary of the project site with at least 3 meter wide and the same shall be included in the layout out plan to be submitted for CMDA/DTCP approval.
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.


MEMBER SECRETARY
SEIAA-TN



14. Sewage Treatment Plant:

- i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/ reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant and Effluent treatment plant effectively to meet out the standards prescribed by the CPCB.
- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant and Effluent treatment plant to achieve the standards prescribed by the CPCB.
- v) The project proponent has to ensure the complete recycling of treated Sewage & Effluent water after achieving the standards prescribed by the CPCB.
- vi) The project proponent has to provide separate standby D.G set for the STP/GWTP for the continuous operation of the STP/GWTP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The Project Proponent has to provide rain water harvesting pits 16Nos to recover and reuse the rain water during normal rains as reported.
- i) The project activity should not cause any disturbance & deterioration of the local bio diversity.


MEMBER SECRETARY
SEIAA-TN

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and where ever is necessary.

Part – D - Specific Conditions – Operational Phase/Post constructional phase/Entire life of the project:

1. There should be Firefighting plan and all required safety plan.
2. Regular fire drills should be held to create awareness among owners/ residents.
3. Hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.
4. The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.
5. Solar energy saving shall be increased to atleast 10% of total energy utilization.
6. The Project proponent has to spend the CER as committed in the affidavit. The above activity shall be carried out before obtaining CTO from TNPCB.
7. The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually
8. The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale of the property and should also mention the component involved.
9. The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
10. The Project proponent should discuss with the wet land Authority, Tamil Nadu Forest Department, PWD and support lake restoration cum improvement, awareness and conservation programs.
11. The project activities should in no way disturb the manmade structures.
12. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
13. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.


MEMBER SECRETARY
SEIAA-TN

14. Raw water quality to be checked for portability and if necessary RO plant shall be provided.
15. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.
16. The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.
17. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.
18. The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
19. It is the sole responsibility of the proponent that the treated sewage water disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc
20. Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
21. The e - waste generated should be collected and disposed to a nearby authorized e-waste centre as per E- waste (Management & Handling), Rules 2016 as amended.
22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.


MEMBER SECRETARY
SEIAA-TN


23. The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.
25. The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
26. The proponent shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.
27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
28. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
29. The Environmental Clearance is issued based on the documents furnished by the project proponent. In case any documents found to be incorrect/not in order at a later date the Environmental Clearance issued to the project will be deemed to be revoked/ cancelled.



MEMBER SECRETARY
SEIAA-TN

Copy to:

1. The Additional Chief Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai - 9.

2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi - 110032.
3. The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
4. The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ),34, HEPC Building, 1st& 2nd Floor, Cathedral Garden Road, Nungambakkam, Chennai - 34.
5. Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi - 110003.
6. The District Collector, Chengalpattu District.
7. Stock File.





our services doesn't just end there



Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.



Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.



Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.




NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management



Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.



 **empowering your real estate decisions**
with smart tools



Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter



Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer



Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator



Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary



Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management



We're honored to be part of your
real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
[+91 9996 12 9996](tel:+919996129996)
www.verified.realestate