

STABILITY CERTIFICATE

(To be furnished while filing application for registration of building)

1. The Detailed Engineering and Structure Design of the Proposed Building comprising STILT+5 floors of Block A2, B2 & C2 at S.F.No. 488/2, Chinnavedampatti Villegge, Coimbatore North Taluk, Coimbatore District, Tamil Nadu 641049, has been done by me/us based on the report of Geotechnical Investigation (soil test) done by GEO DESIGN INDIA PRIVATE LIMITED, Report No. GEO-G-108-2025-2026 Dated 30.07.2025-07.08.2025 and considering the functional requirement of the building.

2. It is certified that among other factors, the Proposed building has been designed to resist Earthquake. I/We have checked various parameters and found that the proposed building would be safe.

3. I/We further certify that:

(i) The minimum grade of concrete is M25

(ii) The Design and Analysis have been done using the Code of Practice for Plain and Reinforced Concrete as per IS 456, Design Loads as per IS Codes IS 875 Part 1 to Part 3 and Design of Earthquake Resistant Structure as per IS Code IS 1893-2016

4. The Building will be safe and sound when used for the purpose for which it is designed.


M.MUNUSAMY. B.E., M.E.,
STRUCTURAL ENGINEER GRADE-I (SE)
Regn. No.-Coimbatore LPA/SE/GR-1/069/2024

Stamp and Signature