



Your trusted partner for buying, selling, and managing property,
ensuring hassle-free service with 100% transparency.

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate

+91 9996 12 9996

Official Property Record

Digitally Verified Record - Powered by Verified  RealEstate™





File No: 10586
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), TAMIL NADU)



Dated 23/04/2024



To,

S R AMudhasakaran
CASA GRANDE ZEST PRIVATE LIMITED
NPL Devi 5th floor new no 111 old no 59 LB road Thiruvanmiyur chennai , Thiruvanmiyur,
CHENNAI, TAMIL NADU, , 600041
casagrandezest@gmail.com

Subject:

Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project M/s CASA GRANDE ZEST PRIVATE LIMITED submitted to SEIAA-TN vide proposal number SIA/TN/INFRA2/453179/2023 dated 22/02/2024.

Ref:

1. Online Proposal No. SIA/TN/INFRA2/453179/2023, dated 23.11.2023
2. Application seeking Environmental Clearance submitted at SEIAA-TN:14.12.2023

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC23C3801TN5126113N
(ii) File No.	10586
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	M/s CASA GRANDE ZEST PRIVATE LIMITED
(viii) Name of Company/Organization	CASA GRANDE ZEST PRIVATE LIMITED
(ix) Location of Project (District, State)	CHENGALPATTU, TAMIL NADU
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-I(Part A and B) were

submitted to the SEIAA-TN for an appraisal by the State Environment Impact Assessment Authority (SEIAA) under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by SEIAA in the meeting held on 18/04/2024. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above.
5. The SEAC, based on information submitted viz: Form 1 (Part A, B) etc., & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of Specific and Standard EC conditions as detailed in the point below.
6. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the SEAC hereby accords Environment Clearance for the instant proposal to Mr. S R A Mudhasakaran, M/s.CASA GRANDE ZEST PRIVATE LIMITED under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions as given in Annexure (2).
7. The Ministry/SEIAA-TN reserves the right to stipulate additional conditions, if found necessary.
8. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
9. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
10. Salient features of the proposal are as follows:

S. No	Description	Details																		
1.	Name of the Project	Proposed Construction of Non High rise residential building by M/s. Casa Grande Zest Private Limited																		
2.	Location	S.Nos. 267/17, 267/18, 267/19, 267/20, 267/21 & 267/22 of Sathankuppam village (Hamlet of Pudupakkam), Vandalur Taluk, Chengalpeta district.																		
3.	Type of Project	Category - B2 Schedule 8(a) - Building and Construction Projects																		
4.	Latitude & Longitude	Ø 12°47'8.94"N 80°11'45.00"E Ø 12°47'6.21"N 80°11'53.05"E Ø 12°47'0.50"N 80°11'51.01"E Ø 12°47'0.05"N 80°11'50.92"E Ø 12°47'1.72"N 80°11'47.32"E Ø 12°47'1.49"N 80°11'47.29"E Ø 12°46'56.13"N 80°11'49.61"E Ø 12°46'58.20"N 80°11'44.97"E Ø 12°47'4.71"N 80°11'45.56"E Ø 12°47'6.56"N 80°11'44.99"E																		
5.	Total Plot Area (in sq. m)	68917.39 Sqm																		
		<table> <tr> <th>Details</th><th>Area (Sq.m)</th><th>Percentage (%)</th></tr> <tr> <td>Total Land Area</td><td>68917.39</td><td>100</td></tr> <tr> <td>Total Ground Coverage Area of Buildings</td><td>24469.02</td><td>35.5</td></tr> <tr> <td>Driveway and Pavements Area</td><td>14314.05</td><td>20.76</td></tr> <tr> <td>Surface or open Parking Area</td><td>10273.01</td><td>14.90</td></tr> <tr> <td>Transformer yard & Security room</td><td>197.68</td><td>0.28</td></tr> </table>	Details	Area (Sq.m)	Percentage (%)	Total Land Area	68917.39	100	Total Ground Coverage Area of Buildings	24469.02	35.5	Driveway and Pavements Area	14314.05	20.76	Surface or open Parking Area	10273.01	14.90	Transformer yard & Security room	197.68	0.28
Details	Area (Sq.m)	Percentage (%)																		
Total Land Area	68917.39	100																		
Total Ground Coverage Area of Buildings	24469.02	35.5																		
Driveway and Pavements Area	14314.05	20.76																		
Surface or open Parking Area	10273.01	14.90																		
Transformer yard & Security room	197.68	0.28																		

		Greenbelt development Area	11888.74	17.25																																																																																																																																																
		Transformer Sub Station Gifted	562.07	0.81																																																																																																																																																
		Road to be gifted	348.8	0.50																																																																																																																																																
		OSR Area	6864.02	10																																																																																																																																																
6.	Brief description of the project	The project comprises of Construction of Non-High-rise Residential group development consisting of 28 Blocks, Block 1 to 27: Ground Floor + First floor, Totally 221DU, Block 28 Club house Ground floor + First floor + Second floor with swimming pool, Change room and shower room on the Ground floor.																																																																																																																																																		
7.	Built up area details	Total Built up Area – 53526.37 Sqm <table><thead><tr><th>Description</th><th>(FSI Area) Sq.m</th><th>Total Built Up Area in Sq.m</th><th>Dwelling Units</th></tr></thead><tbody><tr><td>Block 1</td><td>4712.28</td><td>5554.89</td><td>22</td></tr><tr><td>Block 2</td><td>1782.85</td><td>2118.29</td><td>9</td></tr><tr><td>Block 3</td><td>2375.22</td><td>2822.48</td><td>12</td></tr><tr><td>Block 4</td><td>2371.37</td><td>2818.61</td><td>12</td></tr><tr><td>Block 5</td><td>1779.01</td><td>2114.44</td><td>9</td></tr><tr><td>Block 6</td><td>1581.55</td><td>1879.72</td><td>8</td></tr><tr><td>Block 7</td><td>2371.37</td><td>2818.63</td><td>12</td></tr><tr><td>Block 8</td><td>2378.15</td><td>2803.08</td><td>11</td></tr><tr><td>Block 9</td><td>1082.04</td><td>1275.19</td><td>5</td></tr><tr><td>Block 10</td><td>989.18</td><td>1175.54</td><td>5</td></tr><tr><td>Block 11</td><td>989.13</td><td>1175.48</td><td>5</td></tr><tr><td>Block 12</td><td>989.18</td><td>1175.54</td><td>5</td></tr><tr><td>Block 13</td><td>989.13</td><td>1175.48</td><td>5</td></tr><tr><td>Block-14</td><td>2371.37</td><td>2818.63</td><td>12</td></tr><tr><td>Block-15</td><td>871.99</td><td>1028.99</td><td>5</td></tr><tr><td>Block-16</td><td>2371.37</td><td>2818.61</td><td>12</td></tr><tr><td>Block-17</td><td>2371.36</td><td>2818.62</td><td>12</td></tr><tr><td>Block-18</td><td>768.31</td><td>911.52</td><td>4</td></tr><tr><td>Block-19</td><td>699.19</td><td>823.55</td><td>4</td></tr><tr><td>Block-20</td><td>2371.37</td><td>2818.61</td><td>12</td></tr><tr><td>Block-21</td><td>2437.71</td><td>2877.45</td><td>14</td></tr><tr><td>Block-22</td><td>570.86</td><td>676.8</td><td>3</td></tr><tr><td>Block-23</td><td>493.55</td><td>576.98</td><td>3</td></tr><tr><td>Block-24</td><td>2438.3</td><td>2877.9</td><td>14</td></tr><tr><td>Block-25</td><td>697.95</td><td>823.58</td><td>4</td></tr><tr><td>Block-26</td><td>183.9</td><td>213.92</td><td>1</td></tr><tr><td>Block-27</td><td>176.96</td><td>209.14</td><td>1</td></tr><tr><td>Block-28</td><td>931.73</td><td>1000.33</td><td>-</td></tr><tr><td>STP + WTP (Pump room)</td><td>170.06</td><td>170.06</td><td>-</td></tr><tr><td>Transformer Yard</td><td></td><td>119.96</td><td>-</td></tr><tr><td>Security Cabin</td><td></td><td>5.76</td><td>-</td></tr><tr><td>Other Utilities</td><td></td><td>529.96</td><td>-</td></tr><tr><td>OWC</td><td>32</td><td>47.6</td><td>-</td></tr><tr><td>Swimming Pool</td><td></td><td>451.03</td><td>-</td></tr><tr><td>Total</td><td>44348.44</td><td>53526.37</td><td>221</td></tr></tbody></table>			Description	(FSI Area) Sq.m	Total Built Up Area in Sq.m	Dwelling Units	Block 1	4712.28	5554.89	22	Block 2	1782.85	2118.29	9	Block 3	2375.22	2822.48	12	Block 4	2371.37	2818.61	12	Block 5	1779.01	2114.44	9	Block 6	1581.55	1879.72	8	Block 7	2371.37	2818.63	12	Block 8	2378.15	2803.08	11	Block 9	1082.04	1275.19	5	Block 10	989.18	1175.54	5	Block 11	989.13	1175.48	5	Block 12	989.18	1175.54	5	Block 13	989.13	1175.48	5	Block-14	2371.37	2818.63	12	Block-15	871.99	1028.99	5	Block-16	2371.37	2818.61	12	Block-17	2371.36	2818.62	12	Block-18	768.31	911.52	4	Block-19	699.19	823.55	4	Block-20	2371.37	2818.61	12	Block-21	2437.71	2877.45	14	Block-22	570.86	676.8	3	Block-23	493.55	576.98	3	Block-24	2438.3	2877.9	14	Block-25	697.95	823.58	4	Block-26	183.9	213.92	1	Block-27	176.96	209.14	1	Block-28	931.73	1000.33	-	STP + WTP (Pump room)	170.06	170.06	-	Transformer Yard		119.96	-	Security Cabin		5.76	-	Other Utilities		529.96	-	OWC	32	47.6	-	Swimming Pool		451.03	-	Total	44348.44	53526.37	221
Description	(FSI Area) Sq.m	Total Built Up Area in Sq.m	Dwelling Units																																																																																																																																																	
Block 1	4712.28	5554.89	22																																																																																																																																																	
Block 2	1782.85	2118.29	9																																																																																																																																																	
Block 3	2375.22	2822.48	12																																																																																																																																																	
Block 4	2371.37	2818.61	12																																																																																																																																																	
Block 5	1779.01	2114.44	9																																																																																																																																																	
Block 6	1581.55	1879.72	8																																																																																																																																																	
Block 7	2371.37	2818.63	12																																																																																																																																																	
Block 8	2378.15	2803.08	11																																																																																																																																																	
Block 9	1082.04	1275.19	5																																																																																																																																																	
Block 10	989.18	1175.54	5																																																																																																																																																	
Block 11	989.13	1175.48	5																																																																																																																																																	
Block 12	989.18	1175.54	5																																																																																																																																																	
Block 13	989.13	1175.48	5																																																																																																																																																	
Block-14	2371.37	2818.63	12																																																																																																																																																	
Block-15	871.99	1028.99	5																																																																																																																																																	
Block-16	2371.37	2818.61	12																																																																																																																																																	
Block-17	2371.36	2818.62	12																																																																																																																																																	
Block-18	768.31	911.52	4																																																																																																																																																	
Block-19	699.19	823.55	4																																																																																																																																																	
Block-20	2371.37	2818.61	12																																																																																																																																																	
Block-21	2437.71	2877.45	14																																																																																																																																																	
Block-22	570.86	676.8	3																																																																																																																																																	
Block-23	493.55	576.98	3																																																																																																																																																	
Block-24	2438.3	2877.9	14																																																																																																																																																	
Block-25	697.95	823.58	4																																																																																																																																																	
Block-26	183.9	213.92	1																																																																																																																																																	
Block-27	176.96	209.14	1																																																																																																																																																	
Block-28	931.73	1000.33	-																																																																																																																																																	
STP + WTP (Pump room)	170.06	170.06	-																																																																																																																																																	
Transformer Yard		119.96	-																																																																																																																																																	
Security Cabin		5.76	-																																																																																																																																																	
Other Utilities		529.96	-																																																																																																																																																	
OWC	32	47.6	-																																																																																																																																																	
Swimming Pool		451.03	-																																																																																																																																																	
Total	44348.44	53526.37	221																																																																																																																																																	
8.	Maximum height of the project	16.3 m																																																																																																																																																		
9.	Maximum number of floors	2																																																																																																																																																		
10.	No. of blocks	28 Nos.																																																																																																																																																		

11.	Permissible FSI area	172293.475															
12.	Proposed FSI area	44348.44															
13.	Cost of Project	112.82 Crores															
14.	No. of Dwelling Units	221 DU															
15.	Expected Population	1226 Nos															
16.	a) Water requirement (in KLD)	Total Water Requirement – 219 KLD 1. Fresh Water Requirement – 102 KLD i. Domestic water requirement – 100 KLD ii. Swimming pool top up – 2 KLD 2. Treated water Requirement – 117 KLD i. Flushing purpose – 51 KLD ii. Green belt development, OSR – 66 KLD															
17.	b) Source	Thiruporur PU															
18.	Details of Sewage generation and Treatment	Sewage Generation – 141 KLD Sewage Treatment Plant capacity – 180 KLD (SBR Technology) The Components are as follows: 1. Bar Screen Chamber 2. Collection Tank 3. SBR Tank 4. Decant water Tank 5. Sludge Holding Tank 6. Treated Water Tank 7. UF Treated Water Tank 8. UV Disinfection System 9. Pressure Sand Filter 10. Activated Carbon Filter 11. Ultra Filtration Treatment System 12. Dewatering system–filter press with screw pumps															
19.	Mode of Disposal of treated sewage /effluent	Total Treated Waste water – 134 KLD 1. Flushing – 51 KLD 2. Greenbelt development – 42 KLD 3. OSR Gardening – 24 KLD 4. Excess treated water for Avenue Plantation after obtaining necessary permission – 17 KLD															
20.	Quantity of Solid Waste generation, Mode of treatment and Disposal	Total Solid Waste Generation - 687 kg/day <table><thead><tr><th>S.No</th><th>Description</th><th>Quantity (kg/day)</th><th>Mode of Treatment / Disposal</th></tr></thead><tbody><tr><td>1</td><td>Biodegradable Waste (@40% of waste generated)</td><td>275</td><td rowspan="2">The Biodegradable waste will be processed in the proposed Organic waste converter to be installed in the site. Waste will be sold to recyclers</td></tr><tr><td>2</td><td>Non-Biodegradable waste (@60% of waste generated)</td><td>412</td></tr><tr><td>3</td><td>STP Sludge</td><td>20 kg/day</td><td>Will be mixed with compost from Organic waste converter and will be used as a Manure for Greenbelt development in site.</td></tr></tbody></table>	S.No	Description	Quantity (kg/day)	Mode of Treatment / Disposal	1	Biodegradable Waste (@40% of waste generated)	275	The Biodegradable waste will be processed in the proposed Organic waste converter to be installed in the site. Waste will be sold to recyclers	2	Non-Biodegradable waste (@60% of waste generated)	412	3	STP Sludge	20 kg/day	Will be mixed with compost from Organic waste converter and will be used as a Manure for Greenbelt development in site.
S.No	Description	Quantity (kg/day)	Mode of Treatment / Disposal														
1	Biodegradable Waste (@40% of waste generated)	275	The Biodegradable waste will be processed in the proposed Organic waste converter to be installed in the site. Waste will be sold to recyclers														
2	Non-Biodegradable waste (@60% of waste generated)	412															
3	STP Sludge	20 kg/day	Will be mixed with compost from Organic waste converter and will be used as a Manure for Greenbelt development in site.														
21.	Power Requirement	3240 KVA Source: TNEB Grid															
22.	Details of solar energy	Solar Panels covering 50 % of the rooftop area is proposed with a total power															

		generation of 1220 kW 2.7 KLD of Hot water will be met through solar water heater.		
23.	Details of D.G. set with Capacity	1 No. of 250 kVA		
24.	Details of Green Belt Area Total area of green belt i) No. of trees existing within the project site ii) No. of trees proposed to be planted iii) No. of trees to be transplanted/cut	11888.74 Sq.m Nil 861 Nos. Nil		
25.	Details of OSR Area	6864.02 Sqm		
26.	Details of Parking Area	Details	No. of Car parkings Required	No. of Car parkings Provided
		Number of Car parkings	232 +26 (PHP)	356+28 (PHP)
		10% Visitor Car parking	27	30
		Club house car parking	10	11
		Total number of Car Parkings provided	295	425
27.	Provision for rain water harvesting	Total Rain water Runoff – 810 Cu.m per day Rain water harvesting sump capacity – 500 KLD Recharge Pits – 40 Nos.		
28.	EMP Cost (Rs.)	Construction Phase: Capital Expenses: Rs. 9.8 Lakhs Operational Expenses: Rs. 28.5 Lakhs Operation Phase: Capital Expenses: Rs. 161 Lakhs Operational Expenses: Rs. 32.06 Lakhs		
29.	CER Cost (Rs.)	Rs. 120 Lakhs		

Copy To

1. The Secretary, Ministry of Environment Forest & Climate Change, Government of India, Shastri Bhawan, New Delhi.
2. The Additional Chief Secretary to Government, Environment and Forests Department, Tamil Nadu.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
4. The Chairperson, TNPC Board, 76, Mount Salai, Guindy, Chennai-32
5. EI Division, Ministry of Environment & Forests, Paryavaran Bhawan, New Delhi.
6. Integrated Regional Office of MoEF&CC, Shastri Bhawan, Nungambakkam, Chennai.
7. File Copy.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Sela Specific Conditions

S.No	EC Conditions
1.1	i)The proponent shall furnish inundation certificate obtained from competent authority before


S. No	EC Conditions
	obtaining CTE from TNPCB. ii)The proponent shall furnish NOC obtained from Airport Authority of India before obtaining CTE from TNPCB. iii)The details of children's play area with relevant markings in the overall layout sketch should be submitted to TNPCB before obtaining CTE. iv)The proponent shall obtain traffic NOC from competent authority before issuance of CTE by TNPCB. v)The proponent shall obtain fire safety NOC from competent authority before issuance of CTE by TNPCB. vi)A copy of the above mentioned documents shall also be sent to SEIAA-TN.

2. Seiaa Standard Conditions

S. No	EC Conditions
2.1	Climate Change 1. The proponent shall adopt strategies to decarbonize the building. 2. The proponent shall adopt strategies to reduce emissions during operation (operational phase and building materials). 3. The proponent shall adopt strategies to reduce temperature including the Building Façade. 4. The proponent shall adopt methodology to control thermal environment and other shocks in the building. 5. The proponent shall adopt detailed plan to reduce carbon footprints and also develop strategies for climate proofing and climate mitigation. 6. The proponent shall adopt strategies to ensure the buildings in blocks are not trapping heat to become local urban heat islands. 7. The proponent shall ensure that the building does not create artificial wind tunnels creating cold water and uncomfortable living conditions resulting in health issues. 8. The activities should in no way cause emission and build-up Green House Gases. All actions to be eco-friendly and support sustainable management of the natural resources within and outside the campus premises. 9. The proponent shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building. Health 10. The proponent shall adopt strategies to maintain the health of the inhabitants. Energy 11. The proponent shall adopt strategies to reduce electricity demand and consumption. 12. The proponent shall provide provisions for automated energy efficiency. 13. The proponent shall provide provisions for controlled ventilation and lighting systems. 14. The proponent shall provide solar panels and contribute to the grid from the solar panel as proposed. 15. All the construction of Buildings shall be energy efficient and conform to the green building norms. The PP shall ensure that carbon neutral building. 16. The proponent shall provide adequate capacity of DG set (standby) for the proposed STP so as to ensure continuous and efficient operation. Regulatory Frameworks 17. The proponent shall adopt methodologies to effectively implement the Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.

S. No	EC Conditions
	18. The project proponent shall ensure to provide adequate elevated closed area earmarked for collection, segregation, storage & disposal of wastes generated within the premises as per provisions of Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001. 19. The proponent shall provide elevator as per rules CMDA/DTCP. Database maintenance & audits 20. The database record of environmental conditions of all the events from pre-construction, construction and post-construction should be maintained in digitized format. 21. The proponent should maintain environmental audits to measure and mitigate environmental concerns. Biodiversity 22. There should not be any impact due to the modification of the habitat on critically endangered species, biodiversity, etc., 23. The proponent shall ensure that the proposed activities in no way result in the spread of invasive species. 24. The proponent shall adopt sustainability criteria to protect the micro environment from wind turbulences and change in aerodynamics since high rise buildings may stagnate air movements. 25. The proponent shall ensure almost safety for the existing biodiversity, trees, flora & fauna shall not disturb under any circumstances. 26. The proponent shall develop building-friendly pest control strategies by using non chemical measures so as to control the pest population thereby not losing beneficial organisms. 27. The proponent shall adopt strategies to prevent bird hits. Safety measures 28. The proponent should develop an emergency response plan in addition to the disaster management plan. 29. The proponent shall develop detailed evacuation plan for disabled people and safety evacuation plan in emergencies. 30. All bio-safety standards, hygienic standards and safety norms of working staff and patients to be strictly followed as stipulated in EIA/EMP. 31. The disaster management and disaster mitigation standards to be seriously adhered to avoid any calamities. 32. The proponent shall provide the emergency exit in the buildings. 33. The proponent shall adhere to the provision and norms regard to fire safety prescribed by competent authority. Water/Sewage 34. The proponent shall ensure that no treated or untreated sewage shall be let outside the project site & shall find access to nearby water-bodies under any circumstances other than the permitted mode of disposal. 35. The proponent shall provide STP of adequate capacity as committed and shall continuously & efficiently operate STP so as to satisfy the treated sewage discharge standards prescribed by the TNPCB time to time. 36. The proponent shall periodically test the treated sewage the through TNPCB lab /NABL accredited laboratory and submit report to the TNPCB. 37. The proponent shall periodically test the water sample for the general water quality core parameters including fecal coliform within the proposed project site through TNPCB lab /NABL accredited laboratory and submit report to the concerned authorities. 38. The proponent shall ensure that provision should be given for proper utilization of recycled water. 39. The project proponent shall adhere to storm water management plan as committed.

S. No	EC Conditions
	Parking 40. The project proponent shall adhere to provide adequate parking space for visitors of all inmates including clean traffic plan as committed. Solid waste Management 41. The proponent shall ensure that no form of municipal solid waste shall be disposed outside the proposed project site at any time. 42. The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986. EMP 43. The proponent shall ensure that the EIA/EMP and disaster management plan should be adhered strictly. 44. The proponent shall ensure that all activities of EMP shall be completed before obtaining CTO from TNPCB. 45. The proponent shall provide and ensure the green belt plan is implemented as indicated in EMP. Also, the proponent shall explore possibilities to provide sufficient grass lawns. Others 46. As per the 'Polluter Pay Principle', the proponent will be held responsible for any environmental damage caused due to the proposed activity including withdrawal of EC and stoppage of work. 47. The project proponent shall adhere to height of the buildings as committed.



Specific:

SEAC conditions - Site specific:

1. The construction shall comply with Green Building norms and shall get minimum IGBC Gold rating.
2. STP shall be installed on 10-year BOOT basis, so that the construction and maintenance are combined in one single responsibility.
3. As agreed by the project proponent, the CER cost is **Rs.120 Lakhs** and the amount shall be spent towards the development of environment and infrastructure in Alangudi Arasu Kalaikaloori, Pudukottai before obtaining CTE from TNPCB within one year from the date of issue of EC.
4. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the public usage and as committed. The PP shall construct a pond of appropriate size in the earmarked OSR land in consultation with the local body. The pond should be modelled like a temple tank with parapet walls, steps, etc. The pond is meant to play three hydraulic roles, namely (1) as a storage, which acted as insurance against low rainfall periods and also recharges groundwater in the surrounding area, (2) as a flood control measure, preventing soil erosion and wastage of runoff waters during the period of heavy rainfall, and (3) as a device which was crucial to the overall eco-system.
5. Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
6. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
7. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place in the premises for the same.
8. The project proponent should develop green belt in the project area as per the plan submitted and also follow the guidelines of CPCB/Development authority for green belt as per the norms.
9. Project proponent should invest the CSR/CER amount as per the proposal and submit the compliance report regularly to the concerned authority/Directorate of environment.
10. Proponent should submit the certified compliance report of previous/present EC along with action taken report to the Regional office MoEF&CC/Director of Environment and other concerning authority regularly.
11. Proponent shall provide the dual pipeline network in the project for utilization of treated water of STP for different purposes and also provide the monitoring mechanism for the same. STP treated water not to be discharged outside the premises without the permission of the concerned authority.
12. The project proponent shall provide a measuring device for monitoring the various sources of water supply namely fresh water, treated waste water and harvested rain water.
13. The proponent should provide the MoU with STPs' owner/concerned department for getting the STPs treated water for construction use.

3.10.6.2. Standard

8(a)	Building / Construction
Air quality monitoring and preservation	
1.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
2.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
3.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
4.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
5.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
6.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
7.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
8.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
9.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
10.	For indoor air quality the ventilation provisions as per National Building Code of India.
11.	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
12.	Wet jet shall be provided for grinding and stone cutting.
Energy Conservation measures	
1.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall

	be as per ECBC specifications.
2.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
3.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
4.	Outdoor and common area lighting shall be LED.
Green Cover	
1.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
2.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
3.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
4.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
Human health issues	
1.	Occupational health surveillance of the workers shall be done on a regular basis.
2.	A First Aid Room shall be provided in the project both during construction and operations of the project.
3.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
4.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
5.	For indoor air quality the ventilation provisions as per National Building Code of India.
6.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
Miscellaneous	
1.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.


2.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
3.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
4.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
5.	The Ministry/SEIAA-TN reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
6.	The Ministry/SEIAA-TN may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
7.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
8.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC)/SEIAA-TN.
9.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the State Expert Appraisal Committee.
10.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
12.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
13.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
14.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
15.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
16.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
17.	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same

	for 30 days from the date of receipt.
1 8.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
Noise monitoring and prevention	
1.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
3.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
Specific Conditions	
1.	Recommendations of mitigation measures from possible accident shall be implemented based on Risk Assessment studies conducted for worst case scenarios using latest techniques.
Statutory compliance	
1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
6.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
7.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
8.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
9.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

Transport	
1.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
2.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
Waste Management	
1.	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
2.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
3.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
4.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
5.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
6.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
8.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
9.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
10.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
Water quality monitoring and preservation	
1.	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
2.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
3.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers,

	paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
4.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available.
5.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
6.	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
7.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
8.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
9.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
10.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
11.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
12.	No sewage or untreated effluent water would be discharged through storm water drains.
13.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
14.	No ground water shall be used during construction phase of the project.
15.	All recharge should be limited to shallow aquifer.
16.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse.
17.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.

1 8.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
1 9.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
null	
1.	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.



Signature valid

Digitally Signed by : A.R. Rahul Nadh IAS
Member Secretary, SEIAA

Date: 23/04/2024

F.No. 1A3-22/28/2022-1A.111 [E 181584]
Government of India
Ministry of Environment, Forest and Climate Change
Impact Assessment Division

Indira Paryavaran Bhawan
3rd Floor, Vayu Wing, Jor Bagh Road
Ali Ganj, New Delhi-110003

Dated: 13th December, 2022

OFFICE MEMORANDUM

Subject: Clarification on the amendment to EIA Notification 2006 issued vide S.O. No. 1807(E) dated 12/04/2022 with regard to validity of Environment Clearance - regarding.

The Ministry of Environment, Forest and Climate Change (MoEF&CC) vide notification no. S.O. No. 1807(E) dated 12/04/2022 amended the provisions of EIA Notification, 2006 regarding validity of Environment Clearance as mentioned below:

Type of Project	Earlier EC validity (Years) (A)	Further extendable for (Years) (B)	Increased EC validity (Years) (C)	Further extendable for (Years) (D)
River Valley projects	10	3	13	2
Nuclear projects	7	3	15	5
Projects other than River Valley, Nuclear and Mining Projects	7	3	10	1
Mining Projects	30		30 (Subject to adequacy of EIA/EMP to be reviewed every 5 years after 30 Years)	20

2. The Ministry is in receipt of representations from different stakeholders seeking clarification on the validity of Environment Clearance for different developmental projects in pursuance to the aforementioned Notification. The matter has been examined and it is to clarify that the applicability of the Notification is as under:

- i. The validity of the Environmental Clearances, which had not expired as on the date of publication of Notification i.e. 12/04/2022, shall stand automatically extended to respective increased validity as mentioned at para no. 1 column (C) above:
- Provided that the period of validity of Environmental Clearance with respect to the type of Projects and Activities listed at Para 1 above may be extended in respect of valid Environmental Clearance, by the regulatory authority concerned, by a maximum period of years as indicated at Para No. 1 Column (D) above, if an application is made in the laid down proforma to the regulatory authority by the applicant as per the provisions of EIA Notification 2006:*
- Provided further that the regulatory authority may also consult the concerned Expert Appraisal Committee before grant of such extension.*
- ii. The Environment Clearances for which the project proponents have submitted the application for extension of validity as per the provisions of the EIA Notification 2006 as on the date of publication of Notification i.e. 12/04/2022, shall stand automatically extended to respective increased validity as mentioned at Para no. 1 column (C) above.
3. This is issued with the approval of Competent Authority.



(Sundar Ramanathan)
13/12/22
Scientist 'E'

To

1. Chairman, Central Pollution Control Board (CPCB)
2. Chairman of all the Expert Appraisal Committees
3. Chairperson/Member Secretaries of all the SEIAAs/SEACs
4. Chairpersons/Member Secretaries of all SPCBs/UTPCCs
5. All the Officers of IA Division

Copy for information to:

1. PS to Hon'ble Minister for Environment, Forest and Climate Change
2. PS to Hon'ble MoS (EF&CC)
3. Sr.PPS to Secretary (EF&CC)
4. Sr.PPS to AS (TK) / AS (NPG)
5. Sr.PPS to JS (SKB)
6. Website, MoEF&CC
7. Guard file.



our services doesn't just end there



Buying & Selling Services

Property Buying Assistance, Property Selling Support, Market Price Analysis, Owner Outreach and Negotiation.



Legal & Documentation Services

Certified EC, Patta, legal opinions, property verification, due diligence, litigation solutions, and legal heir certificates.



Property Development & Approvals

Building plan approvals, construction, layout and sub-division approvals, zone conversion, and occupancy certification.




NRI & Investment Services

Escrow Services, Rentals, Litigation Solutions, Property Valuation and Property Management



Compliance & Special Services

Demolition, Vaasthu checks, regularization of unauthorized buildings, and office space solutions.



 **empowering your real estate decisions
with smart tools**



Property Valuation & Cost Estimation

Guideline Value, Apartment Composite Value, Stamp Duty & Registration Fees Calculator, Building Value Calculator, Capital Gains Calculator, Area Unit Converter, Length Unit Converter



Ownership, Compliance & Legal Verification

Encumbrance Certificate (EC) Search, Find Your SRO, Temple Property Check, WAQF Property Check, View Patta/Chitta, View FMB, Patta Analyzer, EC Analyzer



Zoning & Land Use Analysis

Land Use Zone Finder, CRZ Zone Check, Aquifer Zone Check, CBA Check, EWS Check, Road Width Check, Proposed Road Widening Check, FSI Calculator



Property Documentation & Workflow Tools

Forms & Templates, Document Generator, Document Translation, Dictionary



Vastu & Property Management Tools

Home Vastu Shastra, Plot Vastu Shastra, Property Management



We're honored to be part of your
real estate journey

3/350/2 Mettukuppam,
OMR Thoraipakkam,
Chennai, India

hello@verified.realestate
[+91 9996 12 9996](tel:+919996129996)
www.verified.realestate